



# 2024

## BUYER'S GUIDE | DIY

Ladders & Step Ladders | Scaffolds & Mobile towers | Ramps | Hand-Trucks



We  
**Focus**  
on  
**You**

# Table of contents ■

|     |   |
|-----|---|
| 03  | Introduction  |
| 04  | Security and Certifications   |
| 07  | Telescopic Multi-purpose Combination Ladders and Multi-position Ladders |
| 17  | Stepladders and Household Ladders                                       |
| 26  | Combination Ladder  |
| 31  | Single, triangular and platform Ladders                                 |
| 37  | Aluminium Step Stools   |
| 46  | Steel Step Stools, Plastic Step Stools, Working Platforms               |
| 56  | Mobile Access Towers and Aluminium Scaffoldings                         |
| 68  | Mobile Access Towers and Steel Scaffoldings                             |
| 76  | Aluminium Loading Ramps   |
| 82  | Steel Hand-Trucks   |
| 85  | Spare Parts and Accessories   |
| 99  | Summary Tables  |
| 125 | Alphabetic Index of Codes   |



# Italian manufacturers and pioneers, since 1980

## Designed in Italy, Made in Italy

It all started 40 years ago, thanks to our founder Peppino Turrisi, an entrepreneur of Sicilian origin, an opportunity. He decided to invest in the enterprise of life all that he had: courage, determination and passion. These values gave life to who we are. From then on, it was designed and made Ercolina, the first ladder model manufactured and a true milestone capable of inspiring all that which would come afterwards.

After 40 years, led by Giorgio Turrisi with the same values and the same trailblazing spirit, we continue to evolve and improve: new projects, new production lines, new business choices to face the challenges of the Italian and European markets. Over the years, we have added steel and aluminium step stools, scaffolding, and mobile access towers to the ladders, along with other complementary product lines such as ramps and hand trucks to guarantee an even broader range, while continuing to stay focused on quality and safety standards deeply rooted in the Engineering and Design departments, and above all in the Made in Italy production line.


## WELCOME TO OUR WORLD.

## IDENTITY CARD 2023


### MARKET

61% Italy 35% UE country  
4% extra UE

96% DIY 4% PRO




### COMPANY HISTORY




75 employees 2 plant

450.000 pieces produced/year



**PASSION** customer oriented  
method FAMILY COMPANY ESG  
**SAFETY** multi-channel distribution  
progress  
team management  
**MADE IN ITALY** customization  
**HUMILITY** DURABILITY  
international certification innovation  
procedures international vision

### PRODUCT CATEGORIES



Telescopic ladders  
Household ladders  
Multi-purpose ladders  
Single-section ladders  
Professional ladders  
Stepladders  
Trucks  
Ramps  
Scaffolds  
Mobile towers

### INTERNATIONAL CERTIFICATION

- > European Legislation UNI EN ISO 9001:2015
- > European Legislation EN1004-1:2021
- > European Legislation EN131-4
- > European Legislation EN14183
- > Italian Legislation D.LGS. 81/08
- > International Legislation FSC



# Safety is in our DNA. ■

**It is not only a cliché, but our daily commitment.**

Manufacturing and selling products in the ladder and scaffolding sector comes with responsibilities. We have always put safety and reliability first: it is our ethical commitment towards our users and customers. We provide them with products that do not only comply with every standard and legislation, but that are also ergonomic and well-designed thanks to an accurate selection of raw material and strict quality control methods.



## **Certifications.**


Quality is a choice that must apply to every step of production. Every process – from design to raw material selection, from manufacturing to delivery – is constantly monitored. This work method helped us obtain a UNI EN ISO 9001:2015 certification for our quality management system that applies to all our departments. All Gierre-branded products are designed and manufactured in accordance with Italian Decree-Law n° 81/2008 – “Consolidating act on occupational health and safety” – which brings together every related guideline. This philosophy guides all of our production phases. Every part and every product is created and certified following the standards in force. This implies the achievement of specific size requirements and passing of mechanical tests that certify the level of safety and quality subsequently approved by the Certification Authority involved, which issues the Certificates of Compliance.





All components of Gierre products are produced and certified according to the rules in force. We achieve specific technical requirements, verified in our quality laboratories and subsequently by external certifying laboratory.




# How to use this guide

 EN 1004-1 Means that the product is tested and certified in accordance with the European standard EN 1004-1:2021.

 EN 131-4 Means that the product is tested and certified in accordance with the European standard EN 131-4.

 EN 131 Means that the product is tested and certified in accordance with the European standard EN 131.

 EN 14183 Means that the product is tested and certified in accordance with the European standard EN 14183.

 D.Lgs. 81/08 Indicates that the product is tested and certified in accordance of Italian legislative decree 81/08.



## DESIGNATION OF ORIGIN



## MAXIMUM LOAD



## GUARANTEE



## PRODUCT WEIGHT



## QUANTITY PER PALLET




## N° RUNGS




## VOLUME




## WORKING HEIGHT



## DIMENSIONS




## TOTAL HEIGHT




## HEIGHT OF WORKING SURFACE



## STRUT DIMENSIONS




## RUNG DIMENSIONS



## WORKING SURFACE DIMENSIONS



## STEP DIMENSIONS



## WALL ANCHORING










# Telescopic Multi-purpose Combination Ladders and Multi-position Ladders




The telescopic and multi-purpose ladders are ideal for both domestic work and for professional use, in fact its peculiarity is that it can be elongated according to needs, can be adjusted in different heights, can be used in different positions and thanks to its compactness, when closed it can be stored even in small spaces.

Multi-purpose Combination Ladders

**PEPPina**  
ALU 150



   
EN 131-4 D.Lgs. 81/08


  




Rungs 3+3 | 3+4 | 4+4 | 4+5 | 5+5 | 6+6  
Page | 8

Multi-purpose Combination Ladders

**PEPPina**  
ALU 150




  
D.Lgs. 81/08


  




Rungs 3+4 | 4+4 | 4+5 | 5+5 | 6+6  
Page | 9

Multi-purpose Combination Ladders

**PEPPina**  
ALU 125




  
D.Lgs. 81/08


  




Rungs 3+4 | 4+4 | 4+5 | 5+5  
Page | 10

Multi-purpose Combination Ladders

**PEPPina**  
FE 125




  
D.Lgs. 81/08


  




Rungs 3+3 | 4+4 | 4+5 | 5+5  
Page | 11

Multi-purpose Combination Ladders

**PEPPina**  
MIX 125





  
D.Lgs. 81/08




  

Rungs 4+4 | 4+5 | 5+5  
Page | 12

Telescopic Combination Ladders




  
D.Lgs. 81/08



  




Rungs 4+4 | 5+5  
Page | 13

Multi-position Ladders

**Multipla**  
ALU 150





   
EN 131-4 D.Lgs. 81/08




  

Rungs 3+3+3+3  
Page | 14

Telescopic extending Ladders



  
EN 131-6

Rungs 9  
Page | 15

# Multi-purpose Combination Ladders

in aluminium  
telescopic design

**PEPPina**  
ALU 150



## MULTIPURPOSE AND COMPACT.

- 1 Patented hinge in pressed and galvanized steel, with comfortable domed handle. Semi-automatic locking/unlocking safety system
- 2 Rounded side rails for more comfortable grip.
- 3 Large side hook with steel core.
- 4 30x30 mm outer rung welded in 3 points per end; rounded rung cover.
- 5 Reinforced aluminium heavy-duty structure: higher resistance to torsion and load.
- 6 Two-part feet, maximum ground contact.
- 7 Rear anti-torsion reinforcement.

## OTHER CONFIGURATIONS



| Code  | Rungs | m    | m    | (AxBxC) m      | Kg    | N. pieces | EAN<br>8013186 |
|-------|-------|------|------|----------------|-------|-----------|----------------|
| AL010 | 3+3   | 2,71 | 3,71 | 0,89x0,49x0,23 | 9,05  | 33        | 220102         |
| AL015 | 3+4   | 2,29 | 4,20 | 1,15x0,57x0,24 | 9,5   | 20        | 221154         |
| AL020 | 4+4   | 3,20 | 4,70 | 1,15x0,57x0,24 | 11,65 | 22        | 220201         |
| AL030 | 4+5   | 3,45 | 5,20 | 1,41x0,57x0,24 | 12,35 | 22        | 220300         |
| AL040 | 5+5   | 3,70 | 5,70 | 1,41x0,64x0,24 | 14,05 | 22        | 220409         |
| AL060 | 6+6   | 4,21 | 6,75 | 1,67x0,66x0,24 | 18,10 | 22        | 220607         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video





**NEW**


# Multi-purpose Combination Ladders

in aluminium  
telescopic design

**PEPPina**  
ALU 150



D.Lgs. 81/08



ULTRA LIGHT THANKS 51X22 MM PILLARS.

- 1 Patented hinge in pressed and galvanized steel, with reinforcing ribs. Automatic positioning in the three (fixed) positions. Assembled without the use of rivets. Aluminium knob, ultraresistant, ergonomic, comfortable to use.
- 2 Rounded side rails for more comfortable grip.
- 3 Large side hook with steel core.
- 4 25x25 mm outer rung welded in 3 points per end and with rounded rung cover.

OTHER CONFIGURATIONS



| Code              | Rungs | <br>m | <br>m | <br>(AxBxC) m  | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------------------|-------|-------|-------|----------------|--------|---------------|----------------|
| <b>NEW</b> ALL015 | 3+4   | 2,95  | 4,20  | 1,15x0,48x0,24 | 9,5    | 20            | 222151         |
| <b>NEW</b> ALL020 | 4+4   | 3,20  | 4,70  | 1,15x0,56x0,24 | 11,6   | 20            | 222205         |
| <b>NEW</b> ALL030 | 4+5   | 3,45  | 5,20  | 1,41x0,56x0,24 | 12,3   | 20            | 220331         |
| <b>NEW</b> ALL040 | 5+5   | 3,70  | 5,70  | 1,41x0,64x0,24 | 14,0   | 20            | 222403         |
| <b>NEW</b> ALL060 | 6+6   | 4,21  | 6,75  | 1,67x0,65x0,24 | 18,05  | 22            | 220607         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video



**NEW**

# Multi-purpose Combination Ladders

in aluminium  
telescopic design

**PEPPina**  
ALU 125




D.Lgs. 81/08



## MULTIPURPOSE AND COMPACT.

- 1 Patented easy-grip steel hinge. Semi-automatic locking/unlocking safety system.
- 2 Reinforced aluminium heavy-duty structure: higher resistance to torsion and load.
- 3 Steel side hook for easy height adjustment.
- 4 Rounded side rails for more comfortable grip.
- 5 Slip-proof feet, maximum ground contact.
- 6 25x25 mm outer rung welded in 3 points per end and with rounded rung cover.

## OTHER CONFIGURATIONS



| Code             | Rungs | m    | m    | (AxBxC) m      | Kg    | N. pieces | EAN<br>8013186 |
|------------------|-------|------|------|----------------|-------|-----------|----------------|
| <b>NEW</b> AL001 | 3+4   | 2,95 | 4,22 | 1,15x0,48x0x21 | 7,5   | 26        | 220133         |
| AL002            | 4+4   | 3,20 | 4,72 | 1,15x0,55x0,21 | 8,40  | 26        | 220027         |
| AL003            | 4+5   | 3,45 | 5,22 | 1,41x0,55x0,21 | 9,40  | 26        | 220034         |
| AL004            | 5+5   | 3,70 | 5,72 | 1,41x0,63x0,21 | 10,30 | 26        | 220041         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video





# Multi-purpose Combination Ladders

in aluminium  
telescopic design

**PEPPina**  
FE 125



D.Lgs. 81/08









## MULTIPURPOSE & COMPACT.

- 1 Patented steel hinge with comfortable domed handle. Semi-automatic locking/unlocking safety system.
- 2 Heavy-duty steel structure with flared base. Multi-layer powder coating.
- 3 Steel side hook.
- 4 Rounded side rails for more comfortable grip.
- 5 Knurled slip-proof feet, maximum ground contact, easily replaceable when worn.
- 6 Drawn internal and external rungs, with non-slip finish. The orientation of the rungs is such as to guarantee constant flat support of the feet, in all configurations.

## OTHER CONFIGURATIONS



| Code  | <br>Rungs | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|--|--|----------------|
| A0010 | 3+3  | 2,69   | 3,70   | 0,87x0,40x0,17   | 9,00   | 45   | 000100         |
| A0040 | 4+4  | 3,20   | 4,70   | 1,15x0,47x0,17   | 11,40  | 45   | 000407         |
| A0050 | 4+5  | 3,45   | 5,20   | 1,41x0,47x0,17   | 13,00  | 30   | 000506         |
| A0080 | 5+5  | 3,70   | 5,68   | 1,41x0,59x0,19   | 17,20  | 28   | 000803         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video



# Multi-purpose Combination Ladders

in steel-aluminium  
telescopic design

**PEPPina**  
MIX 125



D.Lgs. 81/08



## MULTIPURPOSE & COMPACT.

- 1 Patented steel hinge with comfortable domed handle. Semi-automatic locking/unlocking safety system.
- 2 Heavy-duty steel structure with flared base. Multi-layer powder coating.
- 3 Steel side hook.
- 4 Rounded side rails for more comfortable grip.
- 5 Knurled slip-proof feet, maximum ground contact, easily replaceable when worn.

## OTHER CONFIGURATIONS



| Code  | Rungs | m    | m    | (AxBxC) m      | Kg    | N. pieces | EAN<br>8013186 |
|-------|-------|------|------|----------------|-------|-----------|----------------|
| AM010 | 4+4   | 3,20 | 4,71 | 1,15x0,53x0,19 | 11,00 | 28        | 230101         |
| AM020 | 4+5   | 3,45 | 5,21 | 1,41x0,53x0,19 | 11,90 | 28        | 230200         |
| AM030 | 5+5   | 3,71 | 5,72 | 1,41x0,58x0,19 | 13,20 | 28        | 230309         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video







# Telescopic Combination Ladders

in aluminium

MAY ONLY BE USED  
IN THE TWIN CONFIGURATION



D.Lgs. 81/08








## LIGHT & COMPACT.

- 1 The slotted hinge allows free movement of the ladder. Easy to reposition, the ladder can be easily maneuvered, closed and reopened even in confined spaces. The round knob is designed to increase its usability.
- 2 Reinforced bumpers to ensure more safety for the hands.
- 3 Steel hooks for easy height adjustment. The plastic coating increases the resistance to construction site stress.
- 4 Knurled rungs (25x25 mm) with mouldings at the ends. Aluminium uprights (51x22 mm).
- 5 Flared base to guarantee stability.
- 6 Single-component screwed feet, to guarantee tenacity and long life.

## OTHER CONFIGURATIONS



| Code    | <br>Rungs | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|---------|--|--|--|---|--|----------------|
| ED002CL | 4+4  | 3,20   | 1,15x0,55x0,21   | 8,40  | 26   | 240025         |
| ED004CL | 5+5  | 3,70   | 1,41x0,63x0,21   | 10,30   | 26   | 240049         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85


# Multi-position Ladders

in aluminium

## Multipla



EN 131-4 D.Lgs. 81/08



- 1 Rounded side rails (60x22 mm) for more comfortable grip.
- 2 Hinges in galvanized steel, with automatic release.
- 3 Heavy-duty aluminium structure.
- 4 Two stabilizer bars for high stability in use.
- 5 Oversized slip-proof, knurled feet, maximum ground contact.
- 6 Platform/tool top (no standing!): optional accessory upon request (D0900Q).
- 7 Minimum footprint when closed.

| Code    | Rungs   | m    | m         | m    | (AxBxC)        | Kg    | N. pieces | EAN<br>8013186 |  |
|---------|---------|------|-----------|------|----------------|-------|-----------|----------------|--|
| AL900D* | 3+3+3+3 | 3,40 | 3,95      | 0,77 | 0,93x0,27x0,77 | 16,80 | 24        | 669215         |  |
| Code    | m       | m    | (AxB) m   |      |                |       |           |                |  |
| AL900D* | 3,45    | 1,68 | 2,26x0,91 |      |                |       |           |                |  |


\*Platform / tool top included

Spare parts and accessories from pag. 85

# Telescopic extending ladders



EN 131-6



- 1 Adjustable at every rung.
- 2 Unique one-hand unlocking system.
- 3 Safe distance between the rungs.
- 4 Rubber wall impact protector.

| Code     | Rungs | m    | m    | (AXBXC) | Kg   | N. pieces | EAN<br>8013186 |
|----------|-------|------|------|---------|------|-----------|----------------|
| 7113-092 | 9     | 3,40 | 0,94 | 2,64    | 8,10 | -         | 7905544        |

Spare parts and accessories from pag. 85





# Stepladders and Household Ladders

For occasional use at home or for semi-professional use for DIY.

Stepladders

**Stabila110**  
ALU 150

   
EN 131 D.Lgs. 81/08



  



Steps from 3 to 8

Page | 18

Stepladders

**Stabila80**  
ALU 150

   
EN 131 D.Lgs. 81/08



  




Steps from 3 to 8

Page | 19

Household Ladders

**Scalamia**  
ALU 150

   
EN 131 D.Lgs. 81/08


  




Steps from 3 to 8

Page | 21

Household Ladders

**Scalamia**  
ALU 125

  
D.Lgs. 81/08



  




Steps from 4 to 8

Page | 22

Stepladders double-sided

**Stylo**

   
EN 131 D.Lgs. 81/08


Steps 4+1 | 5+1 | 6+1 | 7+1

Page | 23

**NEW**

# Stepladders in aluminium

**Stabila 110**  
ALU 150



SEMI PROFESSIONAL USE FOR DIY.

- 1 Practical tool tray.
- 2 Galvanized steel hinge with reinforcement ribs.
- 3 Propylene platform reinforced with fiberglass.
- 4 Heavy-duty aluminium structure with rear reinforcements for greater stability and safety.
- 5 Knurled 110 mm step, wider, more comfortable, with cut-proof profile. Attached with flaring process.
- 6 Anti-opening rope spreaders.
- 7 Knurled slip-proof feet fixed to the side rails. Maximum ground contact.
- 8 Optional handrail (1 or 2) for 6-7-8 step models (D4020).

| Code             | Steps | m    | m    | (AxBxC) m      | Kg   | N. pieces | EAN<br>8013186 |
|------------------|-------|------|------|----------------|------|-----------|----------------|
| <b>NEW</b> AL700 | 3     | 2,63 | 0,63 | 1,36x0,43x0,13 | 4,30 | 20        | 247000         |
| <b>NEW</b> AL710 | 4     | 2,87 | 0,87 | 1,62x0,46x0,13 | 5,10 | 36        | 247109         |
| <b>NEW</b> AL720 | 5     | 3,12 | 1,12 | 1,88x0,48x0,13 | 6,00 | 36        | 247208         |
| <b>NEW</b> AL730 | 6     | 3,36 | 1,36 | 2,13x0,51x0,13 | 7,10 | 36        | 247307         |
| <b>NEW</b> AL740 | 7     | 3,60 | 1,60 | 2,39x0,54x0,13 | 8,00 | 36        | 247406         |
| <b>NEW</b> AL750 | 8     | 3,84 | 1,84 | 2,65x0,56x0,13 | 9,30 | 36        | 247505         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video





**NEW**

# Stepladders in aluminium

**Stabila80**  
ALU 150



SEMI PROFESSIONAL USE FOR DIY.

- 1 Practical tool tray.
- 2 Galvanized steel hinge with reinforcement ribs.
- 3 Propylene platform reinforced with fiberglass.
- 4 Heavy-duty aluminium structure with rear reinforcements for greater stability and safety.
- 5 Knurled 110 mm step, wider, more comfortable, with cut-proof profile. Attached with flaring process.
- 6 Anti-opening rope spreaders.
- 7 Knurled slip-proof feet fixed to the side rails. Maximum ground contact.
- 8 Optional handrail (1 or 2) for 6-7-8 step models (D4020).

| Code              | Steps | m    | m    | (AxBxC) m      | Kg  | N. pieces | EAN<br>8013186 |
|-------------------|-------|------|------|----------------|-----|-----------|----------------|
| <b>NEW</b> ALL700 | 3     | 2,63 | 0,63 | 1,36x0,43x0,13 | 4   | 20        | 227705         |
| <b>NEW</b> ALL710 | 4     | 2,87 | 0,87 | 1,60x0,45x0,13 | 4,8 | 36        | 227101         |
| <b>NEW</b> ALL720 | 5     | 3,12 | 1,12 | 1,90x0,48x0,13 | 5,5 | 36        | 227200         |
| <b>NEW</b> ALL730 | 6     | 3,36 | 1,36 | 2,15x0,50x0,13 | 6,5 | 36        | 227309         |
| <b>NEW</b> ALL740 | 7     | 3,60 | 1,60 | 2,39x0,53x0,13 | 7,3 | 36        | 227408         |
| <b>NEW</b> ALL750 | 8     | 3,84 | 1,84 | 2,65x0,56x0,13 | 8,4 | 36        | 227507         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85







# Household Ladders







in aluminium

**Scalamia**  
ALU 150



FOR OCCASIONAL USE AT HOME.

- 1 Ladder tool bag available as an accessory (D4032).
- 2 Tool tray available as an accessory.
- 3 Steel platform easy to block.
- 4 Ultra-light aluminium structure, with rear reinforcements for greater safety.
- 5 Cut-proof step cover.
- 6 Anti-opening rope spreaders (from 5-step model).
- 7 Knurled 80 mm step fixed with a through rivet.
- 8 Knurled slip-proof feet fixed to the side rails, maximum ground contact.

| Code  | <br>Steps | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|--|--|----------------|
| AL130 | 3  | 2,49   | 0,59   | 1,29x0,41x0,11   | 3,20   | 75   | 241312         |
| AL140 | 4  | 2,70   | 0,80   | 1,52x0,44x0,11   | 3,70   | 75   | 241428         |
| AL150 | 5  | 2,92   | 1,02   | 1,75x0,46x0,11   | 4,50   | 72   | 241534         |
| AL160 | 6  | 3,23   | 1,23   | 1,97x0,48x0,11   | 5,20   | 70   | 241626         |
| AL170 | 7  | 3,34   | 1,44   | 2,20x0,51x0,11   | 6,30   | 68   | 241718         |
| AL180 | 8  | 3,56   | 1,66   | 2,43x0,53x0,11   | 7,30   | 66   | 241824         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video



# Household Ladders

in aluminium

**Scalamia**  
ALU 125









D.Lgs. 81/08



FOR OCCASIONAL USE AT HOME.

- 1 Steel platform, with a non-slip surface area of 0.25x0.26 m.
- 2 81 mm deep step, non-slip, riveted, with anti-cut plastic guards at the ends.
- 3 Non-slip feet, to work safely without damaging surfaces.
- 4 Safety rope on 6, 7 and 8 step models.

| Code   | <br>Steps | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|--------|--|--|--|--|--|--|----------------|
| ALL144 | 4  | 2,75   | 0,75   | 1,46x0,43x0,12   | 2,90   | 72   | 244412         |
| ALL155 | 5  | 2,97   | 0,97   | 1,68x0,45x0,12   | 3,60   | 72   | 245570         |
| ALL166 | 6  | 3,18   | 1,18   | 1,90x0,48x0,12   | 4,20   | 66   | 245662         |
| ALL177 | 7  | 3,40   | 1,40   | 2,12x0,50x0,12   | 4,70   | 66   | 247710         |
| ALL188 | 8  | 3,61   | 1,61   | 2,34x0,52x0,12   | 5,60   | 66   | 248816         |

» Summary of technical data on pag. 99

**NEW**

# Stepladders double-sided

**Stylo**








  
 EN 131 D.Lgs. 81/08






PRACTICAL AND ESSENTIAL LADDER.  
PERFECT FOR DIY WORK.

- 1 Cut-proof step cover.
- 2 Aluminium structure.
- 3 High tightness anti-opening safety rope.
- 4 Non-slip feet, to work safely without damaging surfaces.
- 5 Step depth: 80 mm.

| Code             | <br>Steps | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|------------------|--|--|--|---|--|----------------|
| BA210            | 2+1  | 2,19   | 0,68x0,17x0,41   | 2,70  | 48   | 022102         |
| BA220            | 3+1  | 2,41   | 0,91x0,17x0,44   | 3,50  | 48   | 022201         |
| BA230            | 4+1  | 2,61   | 1,14x0,17x0,46   | 4,40  | 32   | 022300         |
| <b>NEW</b> BA240 | 5+1  | 2,81   | 1,33x0,48x0,16   | 4,9   | 42   | 022409         |
| <b>NEW</b> BA250 | 6+1  | 3,02   | 1,56x0,51x0,16   | 5,8   | 42   | 022508         |
| <b>NEW</b> BA260 | 7+1  | 3,23   | 1,79x0,53x0,16   | 6,8   | 42   | 022607         |


» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85




# Height gain compensation system LOT-SYSTEM. ■

Uneven ground is no longer a problem

A complete range of aluminium combination ladder with LOT system, compensating for uneven ground up to 15 cm. Adjusted by pedal.




Watch the video








# Combination Ladders

3-Section  
with pedal adjustment

## HobbyLOT



   
EN 131 D.Lgs. 81/08


  



Rungs 3x7 | 3x8 | 3x9 | 3x11




Page | 26

Combination ladders

## Modula



   
EN 131 D.Lgs. 81/08


  



Rungs from 3x6 to 3x14




Page | 27

3-section  
combination ladders

## Modula



   
EN 131 D.Lgs. 81/08


  



Rungs from 3x6 to 3x11




Page | 28

2-section  
with pedal adjustment

## HobbyLOT



   
EN 131 D.Lgs. 81/08


  



Rungs 2x7 | 2x8 | 2x9 | 2x11




Page | 29

2-Section  
combination ladders

## Modula



   
EN 131 D.Lgs. 81/08


Rungs from 2x6 to 2x12

Page | 30

# 3-Section Combination Ladders with pedal adjustment

in aluminium

## HobbyLOT



CAN BE USED IN DOUBLE POSITION  
STRAIGHT AGAINST THE WALL.

- 1 **LOT-SYSTEM:** Adjustment system via pedal useful for overcoming a difference in height up to 150 mm.
- 2 Steel hinge.
- 3 Solid aluminium structure.
- 4 Knurled aluminium uprights.
- 5 Safety tie.
- 6 Aluminium hook, complete with anti-thread device.
- 7 Anti-opening rope spreaders.



| Code     | Rungs |      |      |      |                |       |           | EAN           |
|----------|-------|------|------|------|----------------|-------|-----------|---------------|
|          |       | m    | m    | m    | (AxBxC) m      | Kg    | N. pieces |               |
| AL405HHL | 3x7   | 3,27 | 3,84 | 4,96 | 2,15x0,46x0,15 | 14,40 | 20        | 3700867909207 |
| AL410HHL | 3x8   | 3,54 | 4,37 | 5,78 | 2,43x0,46x0,15 | 15,30 | 20        | 4007126026200 |
| AL415HHL | 3x9   | 3,81 | 4,64 | 6,31 | 2,71x0,46x0,15 | 17,10 | 20        | 4007126026217 |
| AL435HHL | 3x11  | 4,35 | 5,43 | 7,6  | 3,28x0,46x0,17 | 22,50 | 16        | 4007126026224 |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video






# 3-Section Combination Ladders


in aluminium







## Modula



CAN BE USED IN DOUBLE POSITION STRAIGHT AGAINST THE WALL.

- 1 Steel hinge.
- 2 25x25 mm square-section rungs (all the rungs).
- 3 Knurled aluminium uprights.
- 4 Anti-opening rope spreaders.
- 5 Aluminium hook complete with slip-proof system.
- 6 Stabilizer bar with slip-proof feet.
- 7 Slip-proof feet, maximum ground contact.



| Code  | Rungs |  m |  m |  m |  (AxBxC) m |  Kg |  N. pieces | EAN<br>8013186 |
|-------|-------|---|---|---|---|--|---|----------------|
| AL400 | 3x6   | 2,95  | 3,50  | 4,52  | 1,72x0,45x0,15  | 9,90   | 12  | 244009         |
| AL405 | 3x7   | 3,21  | 3,76  | 4,87  | 1,99x0,45x0,15  | 12,30  | 12  | 244078         |
| AL410 | 3x8   | 3,48  | 4,29  | 5,69  | 2,28x0,45x0,15  | 13,20  | 12  | 244108         |
| AL415 | 3x9   | 3,75  | 4,56  | 6,23  | 2,56x0,45x0,15  | 14,50  | 12  | 244191         |
| AL420 | 3x10  | 4,01  | 4,82  | 6,78  | 2,85x0,45x0,16  | 18,50  | 10  | 244207         |
| AL435 | 3x11  | 4,28  | 5,36  | 7,60  | 3,13x0,45x0,18  | 20,40  | 10  | 244351         |
| AL445 | 3x12  | 4,56  | 6,16  | 8,15  | 3,42x0,45x0,20  | 23,60  | 10  | 244450         |
| AL450 | 3x14  | 5,08  | 6,43  | 8,69  | 3,99x0,45x0,20  | 26,40  | 10  | 244504         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video




**NEW**


# 3-Section Combination Ladders

in aluminium

**Modula**



- 1 Steel hinge.
- 2 25x25 mm square-section rungs (all the rungs).
- 3 Knurled aluminium uprights.
- 4 Anti-opening rope spreaders.
- 5 Aluminium hook complete with slip-proof system.
- 6 Stabilizer bar with slip-proof feet.
- 7 Slip-proof feet, maximum ground contact.




| Code              | Rungs | m    | m    | m    | (AxBxC) m      | Kg    | N. pieces | EAN<br>8013186 |
|-------------------|-------|------|------|------|----------------|-------|-----------|----------------|
| <b>NEW</b> ALL400 | 3x6   | 2,95 | 3,50 | 4,52 | 1,72x0,45x0,15 | 9,90  | 12        | 240100         |
| <b>NEW</b> ALL405 | 3x7   | 3,21 | 3,76 | 4,87 | 1,99x0,45x0,15 | 12,30 | 12        | 240148         |
| <b>NEW</b> ALL410 | 3x8   | 3,48 | 4,29 | 5,69 | 2,28x0,45x0,15 | 13,20 | 12        | 240155         |
| <b>NEW</b> ALL415 | 3x9   | 3,75 | 4,56 | 6,23 | 2,56x0,45x0,15 | 14,50 | 12        | 240162         |
| <b>NEW</b> ALL420 | 3x10  | 4,01 | 4,82 | 6,78 | 2,85x0,45x0,16 | 18,50 | 10        | 240179         |
| <b>NEW</b> ALL435 | 3x11  | 4,28 | 5,36 | 7,60 | 3,13x0,45x0,18 | 20,40 | 10        | 240186         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

# 2-Section Combination Ladders with pedal adjustment

in aluminium

## HobbyLOT



- 1 **LOT-SYSTEM:** Adjustment system via pedal useful for overcoming a difference in height up to 150 mm.
- 2 Steel joint.
- 3 Solid aluminium structure.
- 4 Knurled aluminium uprights.
- 5 Safety tie.
- 6 Aluminium hook, complete with anti-thread device.
- 7 Anti-opening rope.



| Code     | Rungs | m    | m    | (AxBxC) m      | Kg    | N. pieces | EAN           |
|----------|-------|------|------|----------------|-------|-----------|---------------|
| AL305HHL | 2x7   | 3,27 | 4,13 | 2,15x0,46x0,10 | 9,10  | 28        | 3700867910258 |
| AL310HHL | 2x8   | 3,54 | 4,40 | 2,43x0,46x0,10 | 10,80 | 28        | 3700867910241 |
| AL315HHL | 2x9   | 3,81 | 4,95 | 2,71x0,46x0,10 | 11,50 | 28        | 3700867910265 |
| AL330HHL | 2x11  | 4,35 | 6,03 | 3,28x0,46x0,12 | 14,50 | 16        | 3700867910272 |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video




# 2-Section Combination Ladders

in aluminium

## Modula



- 1 Steel hinge.
- 2 25x25 mm square-section rungs (all the rungs).
- 3 Knurled aluminium uprights.
- 4 Anti-opening rope spreaders.
- 5 Aluminium hook complete with slip-proof system.
- 6 Stabilizer bar with slip-proof feet.
- 7 Slip-proof feet, maximum ground contact.



| Code  | Rungs | m    | m    | (AxBxC) m      | Kg    | N. pieces | EAN<br>8013186 |
|-------|-------|------|------|----------------|-------|-----------|----------------|
| AL300 | 2x6   | 3,02 | 3,52 | 1,99x0,45x0,10 | 7,00  | 28        | 243002         |
| AL305 | 2x7   | 3,26 | 4,06 | 2,00x0,45x0,10 | 8,10  | 28        | 243071         |
| AL310 | 2x8   | 3,48 | 4,60 | 2,28x0,45x0,10 | 9,80  | 28        | 243101         |
| AL315 | 2x9   | 3,70 | 5,16 | 2,56x0,45x0,12 | 10,10 | 28        | 243194         |
| AL320 | 2x10  | 4,00 | 5,42 | 2,85x0,45x0,12 | 11,80 | 28        | 243200         |
| AL340 | 2x12  | 4,55 | 6,25 | 3,42x0,45x0,14 | 16,60 | 10        | 243408         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video





# Single, Triangular and Platform Ladders

Fixed height ladders are the best choice for the most ordinary needs. Practical, lightweight and robust, they are perfect for use intensive.

Single ladders

## Singola

   
EN 131 D.Lgs. 81/08


  




Rungs 8 | 10 | 12 | 14 | 16

Page | **32**

Single Flared basis ladders

## Matura

  
D.Lgs. 81/08


  




Rungs 8 | 10 | 12 | 14 | 16 | 18

Page | **33**

Triangular ladders

## Trittika



  
D.Lgs. 81/08




  

Rungs 6 | 8 | 10

Page | **34**

Professional warehouse ladders

   
EN 131 D.Lgs. 81/08

Rungs 8 | 10 | 12

Page | **35**

# Single Ladders






in aluminium

## Singola



PRACTICAL AND LIGHTWEIGHT.

- 1 Ultra-light ladder. Side rail section: 60x22 mm (except AL275 with 66x22 mm section side rails).
- 2 25x25 mm rungs.
- 3 Pitch: 283 mm.
- 4 Slip-proof feet.
- 5 \* compliant with EN 131.

| Code    | <br>Rungs | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|---------|--|--|--|---|--|----------------|
| AL215*  | 8  | 3,25   | 2,27x0,35x0,06   | 3,60  | 90   | 242319         |
| AL225*  | 10   | 3,75   | 2,83x0,35x0,06   | 4,30  | 90   | 242326         |
| AL235   | 12   | 4,30   | 3,40x0,35x0,06   | 5,30  | 90   | 242333         |
| AL235B* | 12   | 4,30   | 3,40x0,70x0,06   | 5,65  | 45   | 243330         |
| AL255   | 14   | 4,85   | 3,95x0,35x0,06   | 6,10  | 90   | 242340         |
| AL255B* | 14   | 4,85   | 3,95x0,80x0,06   | 7,15  | 45   | 243415         |
| AL275   | 16   | 5,37   | 4,51x0,35x0,07   | 7,00  | 90   | 242371         |
| AL275B* | 16   | 5,37   | 4,51x0,80x0,06   | 7,90  | 45   | 243460         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

# Single Ladders with Flared Basis ■ in aluminium

## Matura









D.Lgs. 81/08



PRACTICAL AND LIGHTWEIGHT.

- 1 Aluminium side rails. Flared structure for maximum stability. Specific ladder for use on uneven/irregular ground.
- 2 Knurled slip-proof rung reinforced with square-section tube.
- 3 Wide rungs (50 mm).
- 4 Special feet available upon request: tilting – for uneven surfaces – or pointed – for farming use (D1000-D1010).

| Code  | <br>Rungs | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|---|--|----------------|
| AL610 | 8  | 3,16   | 0,32   | 2,22x0,39x0,07   | 3,97  | 90   | 246102         |
| AL620 | 10   | 3,65   | 0,32   | 2,77x0,42x0,07   | 5,02  | 90   | 246201         |
| AL630 | 12   | 4,13   | 0,32   | 3,33x0,43x0,07   | 6,07  | 90   | 246300         |
| AL640 | 14   | 4,61   | 0,32   | 3,90x0,45x0,07   | 7,28  | 90   | 246409         |
| AL650 | 16   | 5,10   | 0,32   | 4,45x0,47x0,07   | 8,34  | 60   | 246508         |
| AL660 | 18   | 5,58   | 0,32   | 5,01x0,49x0,07   | 9,51  | 60   | 246607         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

# Triangular Ladders

in aluminium

**Trittika**




D.Lgs. 81/08



PRACTICAL THANKS TO THE SHAPE TRIANGULAR, PERFECT FOR WORKING EASILY BETWEEN TREE BRANCHES.


- 1 Heavy-duty aluminium structure. Pointed terminal for interlocking in the branches of a tree.
- 2 Knurled slip-proof rung.
- 3 Anti-opening rope spreaders made of high-resistance material.
- 4 Ultra-strong ribbed tubular upright.
- 5 Stiffening of the wide rungs for maximum stability even on agricultural and uneven ground.

| Code  | <br>Rungs | <br>m | <br>m | <br>m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|---|--|----------------|
| AL500 | 6  | 2,77   | 2,37   | 0,82   | 7,20  | 20   | 245006         |
| AL510 | 8  | 3,30   | 2,94   | 1,00   | 9,60  | 20   | 245105         |
| AL520 | 10   | 3,84   | 3,49   | 1,18   | 12,20   | 20   | 245204         |









# Professional Warehouse Ladders

in aluminium



FOR INTENSIVE USE WITH PRACTICAL HANDRAILS.

- 1 Wide 530x670 mm aluminium platform with toe boards + tool tra.
- 2 104x27 mm aluminium front side rails.
- 3 Handrail to facilitate climb.
- 4 Slip-proof step – width: 100 mm.
- 5 Folding lifting bars.
- 6 Wheels for easy movement.

| Code  | <br>Rungs | <br>m | <br>m | <br>(AxBxC) m | <br>(AxBxC) m | <br>Kg | EAN<br>8013186 |
|-------|--|--|--|--|---|---|----------------|
| ALP08 | 8  | 4,10   | 2,10   | 3,15x1,92x1,20   | 3,34x0,99x0,38  | 35,00   | 650084         |
| ALP10 | 10   | 4,62   | 2,62   | 3,65x2,20x1,20   | 3,86x0,99x0,38  | 39,00   | 650107         |
| ALP12 | 12   | 5,14   | 3,14   | 4,16x2,50x1,30   | 4,38x0,99x0,38  | 44,00   | 650121         |



# Aluminium Step Stools

Practical and light stools for everyday use both at home and for DIY work.

Step Stools double sided

**Stylo**



EN 14183



D.Lgs. 81/08



Steps 1+1

Page | 38

Step Stools double sided

**Stylo**



EN 131



D.Lgs. 81/08



Steps 2+1 | 3+1 | 4+1

Page | 39

Step Stools single step

**Stylo**



EN 14183



D.Lgs. 81/08



Steps 2+1 platform

Page | 40

Step Stools with knee rail

**Slimstep**



EN 14183



D.Lgs. 81/08



Steps 2 | 3 | 4

Page | 41

Step Stools with knee rail

**Mini Slimstep**



EN 14183



D.Lgs. 81/08



Steps 3

Page | 42

Step Stools with plastic platform

**Dekorstep**



EN 14183



D.Lgs. 81/08



Steps 2 | 3 | 4


Page | 43

# Step Stools (double sided) ■ in aluminium

## Stylo








EN 14183 D.Lgs. 81/08



VERSATILE AND COMPACT.

- 1 Cut-proof step cover.
- 2 Aluminium structure.
- 3 Slip-proof feet.

| Code  | <br>Steps | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|---|--|----------------|
| BA200 | 1 + PLATFORM   | 2,40   | 0,47x0,19x0,41   | 1,60  | 48   | 022003         |


» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85



**NEW**






# Step Stools (double sided) in aluminium

**Stylo**



PRACTICAL AND ESSENTIAL STOOL,  
PERFECT FOR DIY.


- 1 Cut-proof step cover..
- 2 Aluminium structure with monobloc base for greater stability and safety.
- 3 Heavy-duty anti-opening rope spreaders.
- 4 Slip-proof foot.
- 5 Step depth: 80mm.

| Code             | <br>Steps | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|------------------|--|--|--|---|--|----------------|
| BA210            | 2+1  | 2,19   | 0,68x0,17x0,41   | 2,70  | 48   | 022102         |
| BA220            | 3+1  | 2,41   | 0,91x0,17x0,44   | 3,50  | 48   | 022201         |
| BA230            | 4+1  | 2,61   | 1,14x0,17x0,46   | 4,40  | 32   | 022300         |
| <b>NEW</b> BA240 | 5+1  | 2,81   | 1,33x0,48x0,16   | 4,9   |  | 022409         |
| <b>NEW</b> BA250 | 6+1  | 3,02   | 1,56x0,51x0,16   | 5,8   |  | 022508         |
| <b>NEW</b> BA260 | 7+1  | 3,23   | 1,79x0,53x0,16   | 6,8   |  | 022607         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85






# Step Stool (single step) ■ in aluminium

## Stylo



VERSATILE AND HANDY.



- 1 Large platform surface.
- 2 Cut-proof step cover.
- 3 Easy opening and locking.
- 4 Minimum width when closed: only 50 mm!
- 5 Aluminium structure with monobloc base for greater stability and safety.
- 6 Slip-proof foot.

| Code  | <br>Steps | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|---|--|----------------|
| BA310 | 2 + PLATFORM   | 2,66   | 0,86x0,45x0,14   | 3,30  | 32   | 023109         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

# Step Stools with tall knee rail ■ in aluminium

## Slimstep



SUPER THIN, ELEGANT DESIGN AND WITH HANDY HANDRAIL.

- 1 Single step link for easy opening and locking.
- 2 Distance between platform and top of knee rail: 600 mm.
- 3 Step width: 130 mm. Platform width: 330 mm.
- 4 Minimum footprint when closed: only 50 mm!
- 5 Knurled slip-proof feet.
- 6 Perfect to store in small spaces.

| Code  | Steps | Height (m) | Width (m) | Dimensions (AxBxC) m | Weight (Kg) | N. pieces | EAN    |
|-------|-------|------------|-----------|----------------------|-------------|-----------|--------|
| BS200 | 2     | 2,45       | 0,45      | 1,16x0,47x0,05       | 4,40        | 60        | 010352 |
| BS300 | 3     | 2,69       | 0,69      | 1,41x0,47x0,05       | 5,50        | 60        | 010338 |
| BS400 | 4     | 2,92       | 0,92      | 1,66x0,47x0,05       | 6,70        | 60        | 010444 |

» Summary of technical data on pag. 99


Watch the video



# Step Stools with Comfortable Knee Rail

in aluminium

## Mini Slimstep



SLIM AND MINI, PERFECT TO BE STORED IN SMALL SPACES.

- 1 Single step link for easy opening and locking.
- 2 Distance between platform and top of knee rail: 600 mm.
- 3 Step width: 130 mm. Platform width: 330 mm.
- 4 Minimum footprint when closed: only 50 mm!
- 5 Knurled slip-proof feet.
- 6 Perfect to store in small spaces.



Pallet box available

| Code  | Steps | m    | m    | (AxBxC) m      | Kg   | N. pieces | EAN    |
|-------|-------|------|------|----------------|------|-----------|--------|
| BS201 | 2     | 2,45 | 0,45 | 0,90x0,40x0,05 | 3,00 | 44        | 012219 |
| BS301 | 3     | 2,67 | 0,67 | 1,13x0,40x0,05 | 4,10 | 44        | 011335 |


» Summary of technical data on pag. 99



# Step Stools with plastic platform

in anodized  
aluminium

## Dekorstep



LIGHTWEIGHT, PERFECT FOR DIY THANKS TO THE PRACTICAL STORAGE TRAY.

- 1 Practical multipurpose tool tray.
- 2 +30% work room between the side rails (320-340 mm), 100-mm.
- 3 Anodized aluminium parts keep hands clean.
- 4 Ultra-light: 3.4 to 5.4 kg!
- 5 Plastic platform with quick locking/unlocking system.
- 6 Minimum footprint when closed: only 100 mm!
- 7 Knurled slip-proof feet.

| Code | Steps | m    | m    | (AxBxC) m      | Kg   | N. pieces | EAN    |
|------|-------|------|------|----------------|------|-----------|--------|
| B222 | 2     | 2,47 | 0,47 | 1,17x0,48x0,10 | 3,40 | 48        | 020221 |
| B333 | 3     | 2,70 | 0,70 | 1,42x0,50x0,10 | 4,40 | 48        | 020337 |
| B444 | 4     | 2,93 | 0,93 | 1,67x0,53x0,10 | 5,40 | 44        | 020443 |

» Summary of technical data on pag. 99

Watch the video











# Steel Step Stools, Plastic Step Stools, Working Platforms

Step Stools with tall knee rail

## Solidstep

   
EN 14183 D.Lgs. 81/08



 



Steps 3 | 4

Page | 46

Step Stools with wide steps

## Sgabby

   
EN 14183 D.Lgs. 81/08



 



Steps 2 | 3 | 4

Page | 47

Step Stools with tall knee rail

## Superstep

   
EN 14183 D.Lgs. 81/08



 



Steps 2 | 3

Page | 48

Step Stools with tall knee rail

## Sempreutile

   
EN 14183 D.Lgs. 81/08



 



Steps 2 | 3 | 4

Page | 49

Folding Step Stools

## Minisgá

   
EN 14183 D.Lgs. 81/08


 



Steps 2

Page | 50

Folding Step Stools

## 1 Step

  
D.Lgs. 81/08



 



Steps 1

Page | 51

Round Step Stool with wheels

## Rollingstep



   
EN 14183 D.Lgs. 81/08



 

Page | 52

Folding Step Stools

## Workstep

   
EN 14183 D.Lgs. 81/08



Page | 53

**NEW**

# Step Stools with tall knee rail and wide steps

in steel

**Solidstep**



MAXIMUM STABILITY AND COMFORT.

- 1 Platform and wide steps that welcome the whole foot for greater safety and stability (platform size 36x29, step size 36x20).
- 2 Handy tool holder (only available on B004).
- 3 Wide and rubberized feet for a better grip to the floor, preserving it from scratches and marks.
- 4 Folding stool with minimum footprint.
- 5 Solid frame in painted steel.


| Code            | Steps | Height (m) | Width (m) | Dimensions (AxBxC) m | Weight (Kg) | N. pieces | EAN    |
|-----------------|-------|------------|-----------|----------------------|-------------|-----------|--------|
| <b>NEW</b> B003 | 3     | 2,47       | 0,68      | 1,14x0,07X0,46       | 6,90        | 48        | 020030 |
| <b>NEW</b> B004 | 4     | 2,70       | 0,90      | 1,64x0,09X0,46       | 7,60        | 40        | 020047 |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85









# Step Stools with wide steps in steel

## Sgabby



PRACTICAL AND STABLE, FOR SAFETY USE.



- 1 Hook for step locking.
- 2 Single step link for easy opening and closing.
- 3 Wide step (260x380 mm) with coloured and washable slip-proof cover.
- 4 Steel structure with monobloc base for greater stability and safety.

| Code  | <br>Steps | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|--|--|----------------|
| B0120 | 2  | 2,47   | 0,47   | 0,87x0,09x0,47   | 5,40   | 72   | 011205         |
| B0130 | 3  | 2,72   | 0,72   | 1,14x0,10x0,48   | 7,80   | 48   | 011304         |
| B0140 | 4  | 2,98   | 0,98   | 1,61x0,12x0,49   | 11,10  | 40   | 011403         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85







# Step Stools with tall knee rail ■ in steel

## Superstep



PRACTICAL WITH ERGONOMIC AND TALL KNEE RAIL.

- 1 Quick-release button.
- 2 Tall knee rail (610 mm), maximum user comfort.
- 3 Steel structure with monobloc base for greater stability and safety.
- 4 Minimum footprint: only 130 mm.
- 5 Wide (200x300 mm) slip-proof step
- 6 Slip-proof and scratch-proof feet also suitable for delicate surfaces (e.g. parquet).

| Code  | <br>Steps | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|---|--|----------------|
| B0200 | 2  | 2,47   | 0,47   | 1,15x0,13x0,47   | 4,90  | 44   | 013117         |
| B0300 | 3  | 2,70   | 0,70   | 1,40x0,13x0,47   | 6,80  | 44   | 013124         |


» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

Watch the video









# Step Stools with knee rail in steel

## Sempreutile



PRACTICAL AND ESSENTIAL.

- 1 Wide steps (200x300 mm).
- 2 Single step link for easy opening and closing.
- 3 40-mm footprint when closed.
- 4 Steel structure with monobloc base for greater stability and safety.

| Code  | <br>Steps | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|---|--|----------------|
| B0050 | 2  | 2,47   | 0,47   | 0,90x0,04x0,48   | 4,40  | 150  | 010505         |
| B0060 | 3  | 2,71   | 0,71   | 1,14x0,04x0,51   | 6,20  | 100  | 010604         |
| B0070 | 4  | 2,89   | 0,89   | 1,37x0,04x0,52   | 8,00  | 100  | 010703         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85

# Folding Step Stools






in steel

**Minisgá**



MINI AND COMPACT.

- 1 Steel structure.
- 2 Anti-opening device with unlocking button.
- 3 Slip-proof feet.
- 4 Two wide steps with slip-proof surfaces (200x300 mm).
- 5 Easy to store: 40-mm footprint when closed. The orange version is no longer available.
- 6 Practical handle for transport.

| Code    | <br>Steps | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|---------|--|--|--|---|--|----------------|
| B0030BI | 2  | 2,44   | 0,55x0,50x0,04   | 4,00  | 132  | 010314         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85




# Folding Step Stools

in steel

## 1 Step



D.Lgs. 81/08



PORTABLE AND HANDY.

- 1 Anti-opening button: guarantees maximum safety and allows quick locking/unlocking of the legs.
- 2 Slip-proof step cover (380x260 mm).
- 3 Steel structure, total weight: 1.77 kg.
- 4 Folding legs. The step stool is only 35 mm wide when closed.

| Code    | Steps | m    | (AxBxC) m      | Kg   | EAN               |
|---------|-------|------|----------------|------|-------------------|
| B0010BI | 1     | 2,17 | 0,26x0,38x0,04 | 1,77 | 8013186<br>010727 |

» Summary of technical data on pag. 99





# Round Step Stool with wheels ■ in plastic

## Rollingstep



### ICONIC AND COMPACT.

- 1 The step stool is equipped with wheels and can be moved with your foot.
- 2 It is ultra-light: it only weighs 2 kg!
- 3 The three spring-loaded wheels lock when you climb onto the step stool.
- 4 When not in use, it has a reduced footprint: two components in one.
- 5 Slip-proof rubber layer.

| Code  | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|---|---|----------------|
| B0020 | 2,41   | 0,41x0,43x 0,28  | 2,2   | 54  | 019997         |


Watch the video



# Working Platforms

in aluminium

## Workstep



MULTIPURPOSE, PERFECT TO BE EASILY CARRIED.

- 1 Wide knurled and slip-proof step area.
- 2 Steel hinge.
- 3 Fully folding aluminium structure, minimum footprint when closed.
- 4 Knurled feet.
- 5 Double anti-lock hook.
- 6 Lightweight platform, can be used as a portable bench.

| Code  | Steps | m    | (AxBxC) m      | Kg   | N. pieces | EAN<br>8013186 |
|-------|-------|------|----------------|------|-----------|----------------|
| PL005 | 1     | 2,49 | 0,16x0,41x0,76 | 4,80 | 52        | 030015         |

» Summary of technical data on pag. 99  
Spare parts and accessories from pag. 85











# Mobile Access Towers and Aluminium Scaffoldings

A range of mobile towers and scaffolds that meet the need to simplify and operate in total safety, reducing time and costs.

Professional Mobile Access Towers




   
EN 1004 D.Lgs. 81/08


  




Page | 56

Scaffold

**Fast&Lock 100**




  
D.Lgs. 81/08



  




Page | 59

Multi-purpose scaffold

**Fast&Lock 200**




   
EN 131-4 D.Lgs. 81/08


  




Page | 60

Scaffold

**Fast&Lock 400**




  
D.Lgs. 81/08


  




Page | 61

Scaffold

**Easy 100**




  
D.Lgs. 81/08



  




Page | 63

Multi-purpose scaffold

**Easy 200**




   
EN 131-4 D.Lgs. 81/08


  




Page | 64

Scaffold

**Easy 400**




  
D.Lgs. 81/08







Page | 65

# Professional Mobile Access Towers

in aluminium



- 1 Quick-locking outriggers.
- 2 Fully-braking caster wheels.
- 3 Eurodeck work platforms with slip-proof, weather-resistant surface, equipped with toe boards and trapdoor.
- 4 **Patented** Fast&Lock locking system.
- 5 Modular structure with aluminium elements and designed for the addition of extensions.


| Code    | <br>m | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|---------|--|--|--|--|---|--|----------------|
| TA900FL | 1,33x0,63x0,012  | 5,10   | 3,10   | 4,34x2,30x2,40   | 63,50   | 6  | 210080         |

Range available until out-of-stock.

Spare parts and accessories from pag. 85

# Professional Mobile Access Towers

in aluminium



- 1 Quick-locking outriggers.
- 2 Fully-braking caster wheels.
- 3 Eurodeck work platforms with slip-proof, weather-resistant surface, equipped with toe boards and trapdoor.
- 4 **Patented** Fast&Lock locking system.

| Code                 | m               | m    | m    | (AxBxC) m      | Kg     | N. pieces | EAN 8013186 |
|----------------------|-----------------|------|------|----------------|--------|-----------|-------------|
| <b>NEW</b> TA1800FL  | 1,33x0,63x0,012 | 3,3  | 1,30 | 2,30x0,75x1x58 | 38,5   | 8         | 180000      |
| <b>NEW</b> KITA05VLF | -               | -    | -    | -              | 32,5   | 8         | 217003      |
| TA1900FL             | 1,33x0,63x0,012 | 5,10 | 3,10 | 4,53x3,50x2,90 | 71,00  | 4         | 210066      |
| KITA05FL             | -               | -    | -    | -              | 7,87   | 14        | 210059      |
| TA2000FL             | 1,33x0,63x0,012 | 6,60 | 4,60 | 6,03x3,50x2,90 | 78,87  | 2         | 212220      |
| KITA05PFL            | -               | -    | -    | -              | 23,80  | 12        | 210073      |
| TA2100FL             | 1,33x0,63x0,012 | 8,10 | 6,10 | 7,53x3,50x2,90 | 102,67 | 2         | 213388      |

Range available until out-of-stock.

Spare parts and accessories from pag. 85



Watch the video



# Professional Mobile Access Towers

in aluminium

JUNE  
2024



## NEW TA1900FL LIGHTWEIGHT MOBILE TOWER

Designed for the demanding professional: maximum safety even in the most extreme situations.

- High stability thanks to reinforced rungs.
- Quick and easy assembly.
- Fast&Lock hooks.





# Scaffold ■ in aluminium







## Fast&Lock 100



D.Lgs. 81/08



- 1 **Patented** tie rod quick-locking system (with clockwise hook rotation). The hook also holds up the ramp for additional slip-proof safety.
- 2 Eurodeck platform supported by a structure with a welded aluminium frame. The frame ends are chamfered and allow perfect fixing to the rung.
- 3 Wheel kit with a 2-mm ground clearance to easily move the scaffolding.
- 4 Stabilizer bar.
- 5 5 fully pre-assembled tie rods (rectangular tube, 34x22 profile), 2 of which designed to protect the scaffolding user.
- 6 Quick configuration.

| Code    |  |  |  |  |  |  | EAN<br>8013186 |
|---------|---|---|---|---|--|---|----------------|
|         | m   | m   | m   | (AxBxC) m   |  | N. pieces   |                |
| FA100FL | 2,87  | 0,87  | 1,81  | 1,81x1,51x0,88  | 17,30  | 32  | 211094         |

Spare parts and accessories from pag. 85

Watch the video



# Multi-purpose Scaffolding







in aluminium








## Fast&Lock 200



MULTIPURPOSE, WITH 4 OPERATING POSITIONS SUPER COMPACT.

- 1 Patented** tie rod quick-locking system (with clockwise hook rotation). The hook also holds up the ramp for additional slip-proof safety.
- Locking/unlocking mechanisms at the centre of the uprights to change work configuration. 4 positions: scaffolding, twin step ladder, extension ladder, work platform. Ultra-compact when closed.
- Eurodeck platform supported by a structure with a welded aluminium frame. The frame ends are chamfered and allow perfect fixing to the rung. 610x460 mm trapdoor.
- Wheel kit with a 2-mm ground clearance to easily move the assembly + Stabilizer bar.
- 8 fully pre-assembled tie rods (rectangular tube, 34x22 mm profile), 2 of which designed to protect the scaffolding user.

| Code                   |  |  |  |  |  |  | EAN     |
|------------------------|---|---|---|---|--|---|---------|
| SCAFFOLD configuration | m   | m   | m   | (AxBxC) m   | Kg   | N. pieces   | 8013186 |
| FA200FL                | 3,99  | 1,99  | 3,08  | 3,08x1,70x1,20  | 32,40  | 12  | 212046  |

| Code                 |  |  |  |  |  |  |  |
|----------------------|---|---|---|---|---|---|---|
| LADDER configuration | m   | m   | m   | m   | m   | m   | (AxBxC) m   |
| FA200FL              | 6+6   | 2,87  | 4,13  | 1,51  | 3,08  | 1,20  | 1,59x1,20x0,24  |

Spare parts and accessories from pag. 85

Watch the video




# Scaffold in aluminium

## Fast&Lock 400



D.Lgs. 81/08



- 1 Patented** tie rod quick-locking system (with clockwise hook rotation). The hook also holds up the ramp for additional slip-proof safety.
- Eurodeck platform supported by a structure with a welded aluminium frame. The frame ends are chamfered and allow perfect fixing to the rung. 610x460 mm trapdoor.
- Wheel kit with a 2-mm ground clearance to easily move the assembly + Stabilizer bar.
- 8 fully pre-assembled tie rods (rectangular tube, 34x22 mm profile), 2 of which designed to protect the scaffolding user.

| Code    |      |      |      |                |       |    | EAN     |
|---------|------|------|------|----------------|-------|----|---------|
|         | m    | m    | m    | (AxBxC) m      |       |    | 8013186 |
| FA400FL | 3,90 | 1,90 | 3,08 | 3,08x1,70x1,20 | 27,00 | 16 | 211087  |

Spare parts and accessories from pag. 85

Watch the video





# Extension Kit for Scaffold

in alluminio

## Fast&Lock 600



D.Lgs. 81/08



The FA600FL model is an extension kit to apply to the FA400FL model to achieve a greater working height. FA600FL includes:

- 1 1 pair of extensions.
- 2 1 work surface with toe boards.
- 3 Guard rails.
- 4 Additional tie rods.
- 5 4 wheels.
- 6 Wall anchoring kit.
- 7 4 outriggers.

**N.B.** The FA600FL model must be used with the MAKITANK06 kit for wall anchoring as defined in Decree-Law n°81/08. Wall anchor not included.



| Code    |      |       |       |                |       |           | EAN     |
|---------|------|-------|-------|----------------|-------|-----------|---------|
|         | m    | m     | m     | (AxBxC) m      |       | N. pieces | 8013186 |
| FA600FL | 5,80 | 3,80* | 5,18* | 5,18x1,79x1,20 | 38,80 | 26        | 216211  |

Spare parts and accessories from pag. 85

Watch the video






# Scaffold ■ in aluminium

## Easy 100









D.Lgs. 81/08



PERFECT FOR INTENSIVE, COMPACT AND EASY TO ASSEMBLE.



- 1 Multilayer Radiata Pine wooden platform, supported by a shaped tubular steel structure, with anti-release safety fastening.
- 2 Diagonal and horizontal galvanized steel rods with upright fixing system.
- 3 Stabilizer bar.
- 4 Steel-aluminium mix structure, easy to assemble, ideal for work inside buildings.

| Code    | <br>m | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|---------|--|--|--|--|--|--|----------------|
| FA100EY | 2,87   | 0,87   | 1,82   | 1,82x1,41x0,88   | 14,60  | 32   | 211100         |

# Multi-purpose Scaffolding







in aluminium

## Easy 200










MULTIPURPOSE, WITH 4 OPERATING POSITIONS.

- 1 6 diagonal and horizontal galvanized steel rods with upright fixing system.
- 2 2 horizontal rectangular aluminium tube tie rods (section: 34x22 mm) to protect the user while using the scaffolding.
- 3 Eurodeck platform supported by a structure with a welded aluminium frame. The frame ends are chamfered and allow perfect fixing to the rungs.
- 4 Locking/unlocking hinges at the centre of the upright to change work configuration.
- 5 4 positions: scaffolding, twin step ladder, single ladder, working platform.
- 6 Stabilizer bar.

| Code                   |  |  |  |  |  |  | EAN     |
|------------------------|---|---|---|---|--|---|---------|
| SCAFFOLD configuration | m   | m   | m   | (AxBxC) m   | Kg   | N. pieces   | 8013186 |
| FA200EY                | 3,80  | 1,80  | 2,70  | 2,70x1,45x1,20  | 21,80  | 12  | 212206  |



| Code                 |  |  |  |  |  |  |  |
|----------------------|---|---|---|---|---|---|---|
| LADDER configuration |   | m   | m   | m   | m   | m   | (AxBxC) m   |
| FA200EY              | 5+5   | 2,70  | 3,70  | 1,30  | 2,60  | 1,20  | 0,70x1,20x0,14  |

# Scaffold ■ in aluminium







## Easy 400



D.Lgs. 81/08



- 1 6 diagonal and horizontal galvanized steel rods with upright fixing system.
- 2 2 horizontal rectangular aluminium tube tie rods (section: 34x22 mm) to protect the user while using the scaffolding.
- 3 Eurodeck platform with trapdoor supported by an aluminium frame structure. The frame ends are chamfered and allow perfect fixing to the rungs.
- 4 Modular extension system.
- 5 Stabilizer bar.

| Code    | <br>m | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|---------|--|--|--|--|--|--|----------------|
| FA400EY | 3,90   | 1,90   | 3,08   | 3,08x1,40x1,20   | 22,80  | 16   | 214002         |





**GUTIER**  
SOLLEVAMENTI  
POTENZA 3000 kg  
CEI 00177  
CEI 00202



# Steel Mobile Access Towers

Professional mobile tower

## GIGANTISSIMO



 IT  
D.Lgs. 81/08

---


 MAX KG **410** |  **10** YEARS |  MADE IN ITALY


---

Page | **68**




Professional mobile tower

## SELFIX



 IT  
D.Lgs. 81/08

---


 MAX KG **200** |  **10** YEARS |  MADE IN ITALY


---

Page | **70**




Scaffold

## GIGANTE



 IT  
D.Lgs. 81/08

---


 MAX KG **150** |  **5** YEARS |  MADE IN ITALY


---

Page | **71**




Scaffold

## Kreo VERNICIATO



 IT  
D.Lgs. 81/08

---


 MAX KG **120** |  **3** YEARS |  MADE IN ITALY


---

Page | **72**




Scaffold

## Kreo ZINCATO



 IT  
D.Lgs. 81/08

---

 MAX KG **120** |  **3** YEARS |  MADE IN ITALY

---

Page | **73**


# Professional Mobile Access Towers

in steel


## GIGANTISSIMO D.LGS. 81/08




D.Lgs. 81/08











- 1 Wall anchoring kit included – anchoring to wall compulsory every two extensions.
- 2 Two-part work platform (1100x1900 mm) with trapdoor and toe boards.
- 3 Base with 4 levelling mounts (mount base diameter: 100 mm).
- 4 Caster wheels (diameter: 200 mm) with swivel plate and brake.
- 5 45x1.5 mm uprights.
- 6 Number of rungs: 5 for each extension.
- 7 Electrogalvanized surface finish for atmospheric resistance.
- 8 The half extension (code: TMEZZA) may be installed in any position but may not be used to raise the tower beyond the measures specified in the user manual. It is 0.90 m tall. We recommend using only one half extension per tower.



## Possible configurations



| Code    |  |  |  |  |  |  |  |  | optional |
|---------|---|---|---|---|--|---|---|---|----------|
|         |   | m   | m   | m   | m  |   |   |   |          |
| TMEZZA  | -   | -   | -   | -   | -  | -   | -   | -   | -        |
| TM402   | 2   | 1,20x2,00   | 4,46  | 2,46  | 3,54   | -   | -   | 0   |          |
| TM402MC | 2 + MC  | 1,20x2,00   | 5,36  | 3,36  | 4,44   | 0   | 1   | 0   |          |
| TM403   | 3   | 1,20x2,00   | 5,96  | 3,96  | 5,04   | 0   | 1   | 0   |          |
| TM403MC | 3 + MC  | 1,20x2,00   | 6,86  | 4,86  | 5,94   | 1   | 1   | 0   |          |
| TM404   | 4   | 1,20x2,00   | 7,46  | 5,46  | 6,54   | 1   | 1   | 0/4   |          |
| TM404MC | 4 + MC  | 1,20x2,00   | 8,36  | 6,36  | 7,44   | 1   | 2   | 0/4   |          |
| TM405   | 5   | 1,20x2,00   | 8,96  | 6,96  | 8,04   | 1   | 2   | 0/4   |          |
| TM405MC | 5 + MC  | 1,20x2,00   | 9,86  | 7,86  | 8,94   | 2   | 2   | 0/4   |          |
| TM406   | 6   | 1,20x2,00   | 10,46   | 8,46  | 9,54   | 2   | 2   | 0/4   |          |
| TM406MC | 6 + MC  | 1,20x2,00   | 11,36   | 9,36  | 10,44  | 2   | 3   | 0/4   |          |
| TM407   | 7   | 1,20x2,00   | 11,96   | 9,96  | 11,04  | 2   | 3   | 0/4   |          |
| TM407MC | 7 + MC  | 1,20x2,00   | 12,86   | 10,86   | 11,94  | 3   | 3   | 0/4   |          |
| TM408   | 8   | 1,20x2,00   | 13,46   | 11,46   | 12,54  | 3   | 4   | 0/4   |          |
| TM408MC | 8 + MC  | 1,20x2,00   | 14,36   | 12,36   | 13,44  | 3   | 4   | 0/4   |          |
| TM409   | 9   | 1,20x2,00   | 14,96   | 12,96   | 14,04  | 3   | 4   | 0/4   |          |
| TM409MC | 9 + MC  | 1,20x2,00   | 15,86   | 13,86   | 14,94  | 4   | 4   | 0/4   |          |
| TM410   | 10  | 1,20x2,00   | 16,46   | 14,46   | 15,54  | 4   | 5   | 0/4   |          |
| TM410MC | 10 + MC   | 1,20x2,00   | 17,36   | 15,36   | 16,44  | 4   | 5   | 0/4   |          |
| TM411   | 11  | 1,20x2,00   | 17,96   | 15,96   | 17,04  | 4   | 5   | 0/4   |          |



Spare parts and accessories from pag. 85

# Light Mobile Access Towers ■ in steel

## SELFIX




D.Lgs. 81/08



PRACTICAL ASSEMBLY WITH A SINGLE OPERATOR.

- 1 Two-part work platform (700x1600 mm) with trapdoor.
- 2 Tie rods with automatic pawl fixing.
- 3 Optionals outriggers recommended only for TL303 and TL304 models.
- 4 Rectangular-section rungs (40x20 mm): such section provides double deformation resistance compared to oval rungs.
- 5 38x1.2 mm uprights.
- 6 125-mm rubber wheels with brake.
- 7 The self-mounting base section may be installed by a single operator!
- 8 Electrogalvanized surface finish for atmospheric resistance.



| Code  | Use                    |   | m         |      | m    |      | m |     | optional |
|-------|------------------------|---|-----------|------|------|------|---|-----|----------|
| TL302 | OUTSIDE                | 2 | 0,75x1,65 | 4,21 | 2,21 | 3,34 | 1 | 0   |          |
| TL303 | OUTSIDE with anchoring | 3 | 0,75x1,65 | 5,71 | 3,71 | 4,84 | 1 | 0/4 |          |
| TL304 | OUTSIDE with anchoring | 4 | 0,75x1,65 | 7,21 | 5,21 | 6,34 | 1 | 4   |          |

Spare parts and accessories from pag. 85




# Professional Mobile Access Towers

in acciaio


## GIGANTE



D.Lgs. 81/08



- 1 Fast fastening system for tie rods with anti-thread automatism. Tie rods with automatic pawl fixing.
- 2 Two-part work platform (dimensions: 0.84x1.67 m) with trapdoor and toe boards on all four sides.
- 3 Caster wheels (diameter: 150 mm) with swivel plate, two of which equipped with a brake.
- 4 Base with 4 adjustable base plates (base diameter: 100 mm).
- 5 Extension dimensions: 1.60x1.78x0.93 (HxLxW).
- 6 Electrogalvanized surface finish for atmospheric resistance.
- 7 Oval (30x20 mm) steel ladder frame rungs and round (diameter: 42 mm) steel uprights.



| Code  |   |           |      |      |      |   |   |          |  |  |
|-------|---|-----------|------|------|------|---|---|----------|--|--|
|       |   |           |      |      |      |   |   |          |  |  |
|       |   | m         | m    | m    | m    |   |   | optional |  |  |
| TM201 | 1 | 0,93x1,78 | 2,95 | 0,95 | 2,00 | - | 0 | 0        |  |  |
| TM202 | 2 | 0,93x1,78 | 4,55 | 2,55 | 3,60 | 0 | 0 | 0        |  |  |
| TM203 | 3 | 0,93x1,78 | 6,15 | 4,15 | 5,20 | 1 | 1 | 0/4      |  |  |
| TM204 | 4 | 0,93x1,78 | 7,75 | 5,75 | 6,80 | 1 | 1 | 0/4      |  |  |
| TM205 | 5 | 0,93x1,78 | 9,35 | 7,35 | 8,40 | 2 | 2 | 0/4      |  |  |


Spare parts and accessories from pag. 85

# Scaffolding ■ in varnished steel

## Kreo









D.Lgs. 81/08



F0005

PRACTICAL, COMPACT AND EASY ASSEMBLY.

- 1 Multilayer Radiata pinewood work platform supported by steel tube structure chamfered for perfect fixing to the uprights.
- 2 Cross-bracing element with 4 steel tie rods (F0005-F0015) – 2 tie rods for the Supermini model (F0003).
- 3 Wheel kit with a 2-mm ground clearance. Maximum versatility thanks to drag transport.
- 4 Multi-layer powder coating, guaranteed protection from the weathering agents.

| Code  | <br>m | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|--|--|--|--|----------------|
| F0003 | 3,06   | 1,06   | 1,42   | 1,42x1,44x0,62   | 15,80  | 20   | 200036         |
| F0005 | 3,37   | 1,37   | 1,79   | 1,79x1,44x0,62   | 16,60  | 20   | 200050         |
| F0015 | 3,78   | 1,78   | 2,12   | 2,12x1,44x0,62   | 18,50  | 20   | 200159         |
| FE010 | 3,97   | 1,97   | 2,29   | 2,29x1,85x0,72   | 21,80  | 20   | 203013         |

Spare parts and accessories from pag. 85

# Scaffolding ■

## in galvanized steel

### Kreo









D.Lgs. 81/08



FZ003

PERFECT FOR OUTDOOR USE,  
DURABLE AND PRACTICAL.

- 1 Multilayer Radiata pinewood work platform supported by steel tube structure chamfered for perfect fixing to the uprights.
- 2 Cross-bracing element with 2 steel tie rods.
- 3 Wheel kit with a 2-mm ground clearance. Maximum versatility thanks to drag transport.
- 4 Steel tube structure chamfered for perfect fixing to the uprights.
- 5 Electrolytic galvanizing.

| Code   | <br>m | <br>m | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|--|--|--|--|--|--|--|----------------|
| FZ003  | 3,06   | 1,06   | 1,42   | 1,42x1,44x0,62   | 15,80  | 20   | 200012         |
| <span style="color: red;">■</span> NEW FZ005 | 3,37   | 1,37   | 1,79   | 1,79x1,44x0,62   | 16,60  | 20   | 202009         |
| FZ010  | 3,97   | 1,97   | 2,29   | 2,29x1,85x0,72   | 21,80  | 20   | 202016         |

Spare parts and accessories from pag. 85






GIERRE PRO  
SAFE ELEVATION TECHNOLOGY



VIGOR





# Aluminium Loading Ramps

Professional Fixed Loading Ramps







 IT  
 D.Lgs. 81/08






Page | 76

Professional Folding Loading Ramps





 IT  
 D.Lgs. 81/08








Page | 77

Fixed Loading Ramps

**Plana**




 IT  
 D.Lgs. 81/08





Page | 78

Folding Loading Ramps

**Biplana**




 IT  
 D.Lgs. 81/08




Page | 79





# Professional Fixed Loading Ramps in aluminium



IT  
D.Lgs. 81/08



\* see table for maximum load - single and pair



- 1 Ramp head with central hole for anchorage to a vehicle.
- 2 High-resistance aluminium structure; ramp width: 200 mm.
- 3 Slip-proof embossing.
- 4 Optional ramp interlocking kit: steel shaft with two handles, one on each side of the ramp. The ramps remain perfectly locked and joined.
- 5 Ramp tail with triangular profile for appropriate angle.

| Code  | mm   | *Max. load (pair) |        |        |         | *Max. load (single) |        |        |         | Kg   | N. pieces | EAN<br>8013186 |
|-------|------|-------------------|--------|--------|---------|---------------------|--------|--------|---------|------|-----------|----------------|
|       |      | 500 mm            | 750 mm | 930 mm | 1250 mm | 500 mm              | 750 mm | 930 mm | 1250 mm |      |           |                |
| RF200 | 2000 | 480               | 740    | 930    | 1250    | 240                 | 370    | 465    | 625     | 5,50 | 250       | 802001         |
| RF250 | 2500 | 350               | 565    | 650    | 755     | 175                 | 280    | 325    | 375     | 6,70 | 250       | 802506         |
| RF300 | 3000 | 225               | 270    | 360    | 400     | 110                 | 135    | 180    | 200     | 7,90 | 250       | 803008         |


Spare parts and accessories from pag. 85

# Professional Folding Loading Ramps

in aluminium



\* see table for maximum load - single and pair



- 1 Ramp head with central hole for anchorage to a vehicle.
- 2 High-resistance aluminium structure; ramp width: 200 mm.
- 3 Slip-proof embossing.
- 4 Optional ramp handle: it may be fixed to the central part of the folded ramp and allows easy carrying.
- 5 Optional ramp interlocking kit: steel shaft with two handles, one on each side of the ramp. The ramps remain perfectly locked and joined.
- 6 Ramp tail with triangular profile for appropriate angle.
- 7 Foldable and easy to carry.

| Code  | mm   | *Max. load (pair) |        |         |     | *Max. load (single) |        |         |     | Kg    | N. pieces | EAN<br>8013186 |
|-------|------|-------------------|--------|---------|-----|---------------------|--------|---------|-----|-------|-----------|----------------|
|       |      | 500 mm            | 750 mm | 1000 mm | kg  | 600 mm              | 750 mm | 1000 mm | kg  |       |           |                |
| RR200 | 2000 | 500               | 500    | 750     | 950 | 250                 | 250    | 375     | 475 | 8,50  | 90        | 812000         |
| RR250 | 2500 | 300               | 350    | 400     | 600 | 150                 | 175    | 200     | 300 | 9,80  | 90        | 812505         |
| RR300 | 3000 | 200               | 200    | 230     | 330 | 100                 | 100    | 115     | 165 | 10,80 | 90        | 813007         |

Spare parts and accessories from pag. 85



# Fixed Loading Ramps

in aluminium

## Plana



\* see table for maximum load - single and pair



- 1 Ramp head with central hole for anchorage to a vehicle.
- 2 High-strength aluminium structure. Ramp width: 200 mm.
- 3 Slip-proof embossing.
- 4 Optional ramp interlocking kit: steel shaft with two handles, one on each side of the ramp. The ramps remain perfectly locked and joined.
- 5 Ramp tail with triangular profile for appropriate angle.

| Code   | mm   | *Max. load (pair) |     |     |     | *Max. load (single) |     |     |     | Kg   | N. pieces | EAN<br>8013186 |
|--------|------|-------------------|-----|-----|-----|---------------------|-----|-----|-----|------|-----------|----------------|
|        |      | kg                | kg  | kg  | kg  | kg                  | kg  | kg  | kg  |      |           |                |
| RFL150 | 1500 | 270               | 410 | 635 | 825 | 135                 | 205 | 318 | 413 | 3,30 | 250       | 801516         |
| RFL200 | 2000 | 220               | 295 | 375 | 485 | 110                 | 148 | 188 | 243 | 4,20 | 250       | 802018         |
| RFL250 | 2500 | 165               | 245 | 285 | 350 | 83                  | 123 | 143 | 175 | 5,20 | 250       | 802513         |

Spare parts and accessories from pag. 85




# Folding Loading Ramps

in aluminium

## Biplana



\* see table for maximum load - single and pair



- 1 Ramp head with central hole for anchorage to a vehicle.
- 2 High-strength aluminium structure. Ramp width: 200 mm.
- 3 Slip-proof embossing.
- 4 Optional ramp handle: it may be fixed to the central part of the folded ramp and allows easy carrying.
- 5 Optional ramp interlocking kit: steel shaft with two handles, one on each side of the ramp. The ramps remain perfectly locked and joined.
- 6 Ramp tail with triangular profile for appropriate angle.
- 7 Foldable and easy to carry.


| Code   | mm   | *Max. load (pair) |     |     |     | *Max. load (single) |     |     |     | Kg   | N. pieces | EAN<br>8013186 |
|--------|------|-------------------|-----|-----|-----|---------------------|-----|-----|-----|------|-----------|----------------|
|        |      | kg                | kg  | kg  | kg  | kg                  | kg  | kg  | kg  |      |           |                |
| RRL150 | 1500 | 210               | 325 | 485 | 625 | 105                 | 163 | 243 | 313 | 6,40 | 90        | 811515         |
| RRL200 | 2000 | 180               | 205 | 285 | 395 | 90                  | 103 | 143 | 198 | 7,30 | 90        | 812017         |
| RRL250 | 2500 | 160               | 190 | 215 | 255 | 80                  | 95  | 108 | 128 | 8,30 | 90        | 812512         |

Spare parts and accessories from pag. 85



# Steel Hand-Trucks

Hand-Trucks  
with solid tyres



Page | **82**

Multi-purpose  
Hand Trucks



Page | **83**

Professional  
Hand Trucks




Page | **84**



# Hand-Trucks with solid tyres in steel



\* see table for capacity



- 1 Fixed nose plate (GE010, GE020).
- 2 Folding nose plate GE025.
- 3 Plastic handles.
- 4 Clips for quick wheel assembly/disassembly (GE010).

| Code  | <br>kg | <br>m     | <br>(AxBxC) m  | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--------|-----------|----------------|--------|---------------|----------------|
| GE010 | 150    | 0,40x0,19 | 1,06x0,40x0,40 | 6,00   | 20            | 330108         |
| GE020 | 200    | 0,40x0,19 | 1,06x0,40x0,45 | 8,00   | 10            | 330207         |
| GE025 | 200    | 0,40x0,49 | 1,09x0,54x0,46 | 9,00   | 10            | 330214         |





Spare parts and accessories from pag. 85



# Hand trucks with triple wheels and pneumatic tyres in steel




- 1 Fixed nose plate (GE030).
- 2 Folding nose plate (GE040 and GE050).
- 3 Pneumatic tyres (GE030 and GE040).
- 4 Triple wheels (GE050).
- 5 Wheel guards.
- 6 Slip-proof handles.
- 7 Clips for quick wheel assembly/disassembly (GE020 and GE025).

| Code  | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|---|---|----------------|
| GE030 | 0,50x0,20  | 1,15x0,54x0,48   | 9,00  | 10  | 330306         |
| GE040 | 0,49x0,42  | 1,15x0,54x0,45   | 13,00   | 10  | 330405         |
| GE050 | 0,49x0,42  | 1,17x0,57x0,52   | 14,00   | 8   | 330115         |





Spare parts and accessories from pag. 85

# Professional Hand Trucks

in steel



- 1 Fixed nose plate (GP020 and GP030).
- 2 Folding nose plate (GU030).
- 3 Pneumatic tyres with steel rims (GP020).
- 4 Triple wheels with steel support (GP030 and GU030).

| Code  | <br>m | <br>(AxBxC) m | <br>Kg | <br>N. pieces | EAN<br>8013186 |
|-------|--|--|---|---|----------------|
| GP020 | 0,45x0,26  | 1,34x0,57x0,58   | 14,00   | 8   | 340206         |
| GP030 | 0,45x0,26  | 1,34x0,57x0,62   | 14,00   | 8   | 340305         |
| GU030 | 0,49x0,42  | 1,32x0,57x0,52   | 15,00   | 8   | 360303         |


Spare parts and accessories from pag. 85

# Spare parts and accessories

Discover all available accessories and spare parts by stairs and trapdoors.

For spare parts of obsolete products send an email to [info@gierrescale.com](mailto:info@gierrescale.com) and we will help you maintain your product in safety.

## Spare Parts for Telescopic Multi-purpose Combination Ladders and Multi-position Ladders










|   | Code          | Description               | EAN           |  | for  |
|---|---------------|---------------------------|---------------|--|--|
|    | <b>D4023</b>  | Outer foot kit (4 pcs.)   | 8013186994232 |  | <b>AL010</b><br><b>AL015</b><br><b>AL020</b><br><b>AL030</b><br><b>AL040</b><br>(pag 8)      |
|    | <b>D4004</b>  | Handle kit (2 pcs.)       | 8013186994003 |  |  |
|    | <b>D4022</b>  | Hook kit (2 pcs.)         | 8013186994225 |  |  |
|    | <b>D4065</b>  | Rung cover kit (4 pcs.)   | 8013186994249 |  |  |
|    | <b>D2200</b>  | Stabilizer bar L. mm 700  | 8013186992206 |  | <b>AL015</b>   |
|    | <b>D2201</b>  | Stabilizer bar L. mm 800  | 8013186992207 |  | <b>AL020</b><br><b>AL030</b><br>(pag 8)  |
|    | <b>D2202</b>  | Stabilizer bar L. mm 900  | 8013186992214 |  | <b>AL040</b><br>(pag 8)  |
|    | <b>D4120</b>  | Outer foot kit (4 pcs.)   | 8013186994850 |  | <b>AL060</b><br>(pag 8)  |
|   | <b>D4092</b>  | Handle kit (2 pcs.)       | 8013186994263 |  |  |
|  | <b>D4022</b>  | Hook kit (2 pcs.)         | 8013186994225 |  |  |
|  | <b>D4065</b>  | Rung cover kit (4 pcs.)   | 8013186994249 |  |  |
|  | <b>D2203</b>  | Stabilizer bar L. mm 1020 | 8013186992221 |  |  |
|  | <b>D4127</b>  | Outer foot kit (4 pcs.)   | 8013186994127 |  | <b>ALL015</b><br><b>ALL020</b><br><b>ALL030</b><br><b>ALL040</b><br><b>ALL060</b><br>(pag 9) |
|  | <b>D4058</b>  | Handle kit (2 pcs.)       | 8013186994164 |  |  |
|  | <b>D4124</b>  | Hook kit (2 pcs.)         | 8013186994124 |  |  |
|  | <b>D4125</b>  | Rung cover kit (4 pcs.)   | 8013186994125 |  |  |
|  | <b>D4035</b>  | Outer foot kit (4 pcs.)   | 8013186994904 |  |  |
|  | <b>D4001</b>  | Handle kit (2 pcs.)       | 8013186994010 |  | <b>AL001</b><br><b>AL002</b><br><b>AL003</b><br><b>AL004</b><br>(pag 10)                     |
|  | <b>D4067</b>  | Hook kit (2 pcs.)         | 8013186994065 |  |  |
|  | <b>D4066</b>  | Rung cover kit (4 pcs.)   | 8013186994072 |  |  |
|  | <b>D4067E</b> | Rung cover kit (4 pcs.)   | 8013186990159 |  |  |



|   |               |                                   |               |  |  |
|---|---------------|-----------------------------------|---------------|--|--|
|    | <b>D4031E</b> | Outer foot kit (4 pcs.)           | 8013186990128 |  | <b>ED002CL</b><br><b>ED004CL</b><br>(pag 13)             |
|    | <b>D4061E</b> | Handle kit (2 pcs.)               | 8013186990135 |  |  |
|    | <b>D4067E</b> | Hook kit (2 pcs.)                 | 8013186990142 |  |  |
|    | <b>D4066E</b> | Rung cover kit (4 pcs.)           | 8013186990159 |  |  |
|    | <b>D4003</b>  | Outer foot kit (4 pcs.)           | 8013186994034 |  | <b>A0010</b><br><b>A0040</b><br><b>A0050</b><br>(pag 11) |
|    | <b>D4001</b>  | Handle kit (2 pcs.)               | 8013186994010 |  |  |
|    | <b>D4002</b>  | Hook kit (2 pcs.)                 | 8013186994027 |  | <b>A0010</b><br><b>A0040</b><br><b>A0050</b><br>(pag 11) |
|    | <b>D4013</b>  | Outer foot kit (4 pcs.)           | 8013186994133 |  | <b>A0080</b><br>(pag 11)                                 |
|    | <b>D4011</b>  | Handle kit (2 pcs.)               | 8013186994119 |  |  |
|   | <b>D4012</b>  | Hook kit (2 pcs.)                 | 8013186994126 |  |  |
|  | <b>D4013</b>  | Outer foot kit (4 pcs.)           | 8013186994133 |  | <b>AM010</b><br><b>AM020</b><br><b>AM030</b><br>(pag 12) |
|  | <b>D4001</b>  | Handle kit (2 pcs.)               | 8013186994010 |  |  |
|  | <b>D4014</b>  | Hook kit (2 pcs.)                 | 8013186994140 |  |  |
|  | <b>D0900Q</b> | Platform                          | 8013186993112 |  | <b>AL900D</b><br>(pag 14)                                |
|  | <b>D4077Q</b> | Stabilizer bar kit + fastener kit | 8013186993464 |  |  |

## Spare Parts for Stepladders and Household Ladders

|   | Code          | Description                   | EAN           |  | for  |
|---|---------------|-------------------------------|---------------|--|--|
|    | <b>D4086</b>  | Kit front and rear foot       | 8013186994485 |  | <b>AL700</b> <b>ALL700</b><br><b>AL710</b> <b>ALL710</b><br><b>AL720</b> <b>ALL720</b><br><b>AL730</b> <b>ALL730</b><br><b>AL740</b> <b>ALL740</b><br><b>AL750</b> <b>ALL750</b><br>(pag 18)    (pag 19) |
|    | <b>D4042</b>  | Tool tray                     | 8013186994423 |  | <b>AL700</b><br><b>AL710</b><br><b>AL720</b><br><b>AL730</b><br><b>AL740</b><br><b>AL750</b><br>(pag 18)   |
|    | <b>D4177</b>  | Tool tray                     | 8013186994177 |  | <b>ALL700</b><br><b>ALL710</b><br><b>ALL720</b><br><b>ALL730</b><br><b>ALL740</b><br><b>ALL750</b><br>(pag 19)   |
|    | <b>D4033</b>  | Kit front and rear foot       | 8013186994331 |  | <b>AL130</b><br><b>AL140</b><br>(pag 21)   |
|   | <b>D4098</b>  | Kit front and rear foot       | 8013186994379 |  | <b>AL150</b><br><b>AL160</b><br><b>AL170</b><br><b>AL180</b><br>(pag 21)   |
|  | <b>D4007</b>  | Cut-proof step cover kit      | 8013186994355 |  | <b>AL130</b><br><b>AL140</b><br><b>AL150</b><br><b>AL160</b><br><b>AL170</b><br><b>AL180</b><br>(pag 21)   |
|  | <b>D4110</b>  | Foot kit 4pcs                 | 8013186994110 |  |  |
|  | <b>D4112</b>  | Cut-proof cover kit           | 8013186994112 |  |  |
|  | <b>D5501H</b> | Foot/end cap kit 2pcs         | 3700867906862 |  | <b>AL405HHL</b> <b>AL305HHL</b><br><b>AL410HHL</b> <b>AL 315HHL</b><br><b>AL415HHL</b> <b>AL310HHL</b><br>(pag 26)    (pag 29)   |
|  | <b>D5503H</b> | Foot/end cap kit 2pcs         | 3700867906886 |  | <b>AL435HHL</b> <b>AL335HHL</b><br>(pag 26)    (pag 29)  |
|  | <b>D9904H</b> | Stabilizer bar foot kit 2 pcs | 3700867907531 |  | <b>AL405HHL</b> <b>AL305HHL</b><br><b>AL410HHL</b> <b>AL310HHL</b><br><b>AL415HHL</b> <b>AL315HHL</b><br><b>AL435HHL</b> <b>AL335HHL</b><br>(pag 26)    (pag 29)   |
|  | <b>D9905H</b> | Pedal for stabilizer bar      | 3700867909009 |  |  |
|  | <b>D9906H</b> | Complete stabilizer bar       | 3700867906473 |  |  |

|   |              |  |               |  |  |  |
|---|--------------|--|---------------|--|--|--|
|    | <b>D5501</b> | Foot/end cap kit<br>2pcs                   | 8013186995468 |  | <b>AL405</b><br><b>AL410</b><br><b>AL415</b><br><b>AL400</b><br>(pag 27) | <b>AL300</b><br><b>AL305</b><br><b>AL310</b><br><b>AL315</b><br>(pag 30) |
|    | <b>D5503</b> | Foot/end cap kit<br>2pcs                   | 8013186995475 |  | <b>AL420</b><br><b>AL435</b><br>(pag 27)                                 | <b>AL320</b><br>(pag 30)   |
|    | <b>D5504</b> | Foot/end cap kit<br>2pcs                   | 8013186995482 |  | <b>AL445</b><br><b>AL450</b><br>(pag 27)                                 | <b>AL340</b><br>(pag 30)   |
|    | <b>D5553</b> | Completed<br>Stabilizer bar<br>(aluminium) | 8013186995536 |  | <b>AL400</b><br><b>AL405</b><br>(pag 27)                                 | <b>AL305</b><br>(pag 30)   |
|   |              |  |               |  | Before 2022  |  |
|    | <b>D5557</b> | Completed<br>Stabilizer bar (steel)        | 8013186996694 |  | <b>AL405</b><br><b>AL410</b><br><b>AL415</b><br>(pag 27)                 |  |
|   |              |  |               |  | After 2021   |  |
|   | <b>D5556</b> | Completed<br>Stabilizer bar<br>(aluminium) | 8013186995567 |  | <b>AL420</b><br><b>AL435</b><br><b>AL445</b><br><b>AL450</b><br>(pag 27) | <b>AL320</b><br><b>AL340</b><br>(pag 30)                                 |
|  | <b>D5505</b> | Stabilizer bar foot<br>kit 2 pcs           | 8013186995499 |  | <b>AL400</b><br><b>AL405</b><br>(pag 27)                                 | <b>AL300</b><br><b>AL305</b><br>(pag 30)                                 |
|   |              |  |               |  | After 2021   |  |
|  | <b>D5506</b> | Stabilizer bar foot<br>kit 2 pcs           | 8013186995505 |  | <b>AL420</b><br><b>AL435</b><br><b>AL445</b><br><b>AL450</b><br>(pag 27) | <b>AL320</b><br><b>AL340</b><br>(pag 30)                                 |
|  | <b>D5507</b> | Stabilizer bar foot<br>kit 2 pcs           | 8013186995727 |  | <b>AL405</b><br><b>AL410</b><br><b>AL415</b><br>(pag 27)                 | <b>AL310</b><br><b>AL315</b><br>(pag 30)                                 |
|   |              |  |               |  | After 2021   |  |

## Spare Parts for Single, Triangular and Platform Ladders


|   | Code         | Description                                  | EAN           |  | for  |
|---|--------------|--|---------------|--|--|
|    | <b>D5501</b> | Foot/end cap kit<br>2pcs                     | 8013186995468 |  | <b>AL215</b><br><b>AL225</b><br><b>AL235</b><br><b>AL255</b><br>(pag 32)                                 |
|    | <b>D5502</b> | Foot/end cap kit<br>2pcs                     | 8013186996595 |  | <b>AL275</b><br>(pag 32)   |
|    | <b>D5507</b> | Stabilizer bar foot<br>kit 2 pc              | 8013186995727 |  | <b>AL235B</b><br><b>AL255B</b><br><b>AL275B</b><br>(pag 32)  |
|    | <b>D5561</b> | Completed<br>Stabilizer bar                  | 8013186997561 |  | <b>AL235B</b><br>(pag 32)  |
|    | <b>D5562</b> | Completed<br>Stabilizer bar                  | 8013186997578 |  | <b>AL255B</b><br>(pag 32)  |
|    | <b>D5563</b> | Completed<br>Stabilizer bar                  | 8013186997585 |  | <b>AL275B</b><br>(pag 32)  |
|    | <b>D4068</b> | Rubber-coated foot<br>kit 2pcs               | 8013186995413 |  | <b>AL610</b><br><b>AL620</b><br><b>AL630</b><br><b>AL640</b><br><b>AL650</b><br><b>AL660</b><br>(pag 33) |
|   | <b>D4069</b> | End cap kit 2pcs                             | 8013186995420 |  |  |
|  | <b>D1000</b> | Rubber-coated<br>tilting foot kit            | 8013186997103 |  |  |
|  | <b>D1010</b> | Rubber-coated<br>tilting pointed foot<br>kit | 8013186997110 |  |  |
|  | <b>D4111</b> | Kit 4 foot                                   | 8013186994111 |  | <b>BA240</b><br><b>BA250</b><br><b>BA260</b><br>(pag 23)   |
|  | <b>D4112</b> | Cut-proof cover kit<br>2 pcs                 | 8013186994112 |  |  |



## Spare Parts for Aluminium and Steel Step Stools, Working Platforms

|   | Code         | Description                     | EAN           | for   |
|---|--------------|---------------------------------|---------------|---|
|    | <b>D4111</b> | Rear and front foot kit 4 pcs   | 8013186994111 | <b>BA200</b><br>(pag 38)  |
|    | <b>D4071</b> | Rear and front foot kit 4 pcs   | 8013186994713 | <b>BA210</b><br><b>BA220</b><br><b>BA230</b><br>Before 2022<br>(pag 39) |
|    | <b>D4007</b> | Cut-proof step cover kit 2 pcs  | 8013186994355 |   |
|    | <b>D4111</b> | Kit 4 foot                      | 8013186994111 | <b>BA210</b><br><b>BA220</b><br><b>BA230</b><br>(pag 39)                |
|    | <b>D4112</b> | Cut-proof cover kit 2 pcs       | 8013186994112 |   |
|    | <b>D4073</b> | Kit 4 foot                      | 8013186994720 | <b>BA310</b><br>(pag 40)  |
|    | <b>D4061</b> | Rear and front foot kit 2+2 pcs | 8013186994614 | <b>B0120</b><br><b>B0130</b><br><b>B0140</b><br>(pag 47)                |
|   | <b>D4153</b> | Rear and front foot kit 2+2 pcs | 8013186994737 | <b>B0200</b><br><b>B0300</b><br>(pag 48)                                |
|  | <b>D4051</b> | Rear and front foot kit 2+2 pcs | 8013186994515 | <b>B0050</b> <b>B0070</b><br><b>B0060</b> (pag 49)                      |
|  | <b>D4085</b> | Rear and front foot kit 2+2 pcs | 8013186994706 | <b>B0030BI</b><br>(pag 50)  |
|  | <b>D4180</b> | Rear and front foot kit 4 pcs   | 8013186999916 | <b>PL005</b><br>(pag 53)  |

## Spare Parts for Aluminium Scaffoldings and Mobile Access Towers


|   | Code                            | Description                             | for                        |
|---|---------------------------------|---|----------------------------|
|  | <b>1</b><br><b>DSLTRAGR5010</b> | Horizontal tie rod L 1486 mm with cover | <b>TA900FL</b><br>(pag 56) |
|   | <b>2</b><br><b>DSLTRAGR5020</b> | Diagonal tie rod L 1486 mm with cover   |                            |
|   | <b>3</b><br><b>DSLTRAGR5080</b> | Upper tie rod L 1486 mm with cover      |                            |




|                          |  |  |  |
|--------------------------|--|--|--|
| 1<br><b>DSLPIARE2000</b> | work platform                            |  | <b>TA1800FL</b><br>(pag 57)                    |
| 2<br><b>D6005</b>        | Platform hook kit 2pcs                   |  | <b>TA900FL</b><br><b>KITA05VLF</b><br>(pag 57) |
| 3<br><b>DSLTRAGR7310</b> | horizontal tie rod L. mm 1486<br>C/cover |  |  |
| 4<br><b>DSLTRAGR7320</b> | Upper tie rod L. mm 1486 C/<br>cover     |  | <b>TA1900FL</b><br>(pag 57)                    |
| 5<br><b>DSLTRAGR7330</b> | Diagonal tie rod L. mm 1741<br>C/cover   |  |  |
| 6<br><b>DSLTRAGR7310</b> | Horizontal tie rod L. mm 1486<br>C/cover |  | <b>KITA05FL</b><br>(pag 57)                    |
| 7<br><b>DSLTRAGR7330</b> | Horizontal tie rod L. mm 1486<br>C/cover |  | <b>KITA05PFL</b><br>(pag 57)                   |
| 8<br><b>DSLTRAGR7310</b> | Horizontal tie rod L. mm 1486<br>C/cover |  |  |



|                          |   |  |                            |
|--------------------------|---|--|----------------------------|
| 1<br><b>DSLPIARE5100</b> | Work platform   |  |                            |
| 2<br><b>D6005</b>        | Platform hook kit 2 pcs                               |  |                            |
| 3<br><b>D6004</b>        | Whells kit 2 pcs                                      |  |                            |
| 4<br><b>DSLBARAF6100</b> | Stabilizer bar  |  | <b>FA100FL</b><br>(pag 59) |
| 5<br><b>D6008</b>        | stabilizer bar Kit                                    |  |                            |
| 6<br><b>DSLTRAGR5030</b> | Assembled tie rod L. mm 1341<br>Gierre cover included |  |                            |
| 7<br><b>DSLTRAGR5040</b> | Assembled tie rod L. mm 1619<br>Gierre cover included |  |                            |
| 8<br><b>DSLTRRED0100</b> | Trunk spare parts                                     |  |                            |




|                          |   |  |                            |
|--------------------------|---|--|----------------------------|
| 1<br><b>DSLPIARE0500</b> | Work platform with trapdoor                           |  |                            |
| 2<br><b>D6005</b>        | platform hook kit 2 pcs                               |  |                            |
| 3<br><b>D6001</b>        | Wheel kit 2pcs  |  |                            |
| 4<br><b>DSLBARAF5000</b> | Stabilizer bar  |  | <b>FA200FL</b><br>(pag 60) |
| 5<br><b>D6009</b>        | Stabilizer barkit                                     |  |                            |
| 6<br><b>DSLTRAGR6010</b> | Assembled tie rod L. mm 1486<br>Gierre cover included |  |                            |
| 7<br><b>DSLTRAGR6020</b> | Assembled tie rod L. mm 1576<br>Gierre cover included |  |                            |
| 8<br><b>DSLTRCLI5200</b> | Trunk spare parts                                     |  |                            |



|                          |  |  |
|--------------------------|--|--|
| 1<br><b>DSLPIARE0500</b> | Work platform with trapdoor                        |  |
| 2<br><b>D6005</b>        | platform hook kit 2 pcs                            |  |
| 3<br><b>D6004</b>        | Wheel kit 2pcs                                     |  |
| 4<br><b>DSLBARAF5000</b> | Stabilizer bar                                     |  |
| 5<br><b>D6008</b>        | Stabilizer bar kit                                 |  |
| 6<br><b>DSLTRAGR5010</b> | Assembled tie rod L. mm 1486 Gierre cover included |  |
| 7<br><b>DSLTRAGR5070</b> | Assembled tie rod L. mm 1604 Gierre cover included |  |
| 8<br><b>DSLTRRED0004</b> | Trunk spare parts                                  |  |



**FA400FL**  
(pag 61)



|                          |  |  |
|--------------------------|--|--|
| 1<br><b>DSLPIARE0500</b> | Platform with trapdoor                             |  |
| 2<br><b>D6005</b>        | platform hook kit 2 pcs                            |  |
| 3<br><b>DSLTRAGR5010</b> | Assembled tie rod L. mm 1486 Gierre cover included |  |
| 4<br><b>DSLTRAGR5020</b> | Assembled tie rod L. mm 1741 Gierre cover included |  |
| 5<br><b>MAKITANK06</b>   | Wall anchoring kit 4pcs                            |  |
| 6<br><b>SLBARST7020</b>  | short outrigger 40mm L=980 mm                      |  |
| 7<br><b>SLBARST7000</b>  | long outrigger 40mm L=1740 mm                      |  |
| 8<br><b>SLBARST7010</b>  | short outrigger 35mm L=1450 mm                     |  |
| 9<br><b>D6011</b>        | Stabilizer kit                                     |  |
| 10<br><b>D6004</b>       | Wheel kit 2pcs                                     |  |
| 11<br><b>D6013</b>       | Toe clips kit                                      |  |

**FA600FL**  
(pag 62)

## Spare Parts for Steel Scaffoldings and Mobile Access Towers

|  | Code                     | Description                   | for  |
|--|--------------------------|-------------------------------|--|
|  <p>**Compulsory.</p>                                      | 1<br><b>MAPIMAT0400</b>  | Complete work platform        | <b>TM402</b><br><b>TM403</b><br><b>TM404</b><br><b>TM405</b><br><b>TM406</b><br><b>TM407</b><br><b>TM408</b><br><b>TM409</b><br><b>TM410</b><br><b>TM411</b><br>(pag 69) |
|  | 2<br><b>MACOPRA0040</b>  | Pair of guard rails           |  |
|  | 3<br><b>MAKITAL0410</b>  | Extension kit 1,5 m           |  |
|  | 4<br><b>MAKITAL0400</b>  | Complete extension kit 1,5 m  |  |
|  | 5<br><b>MABACTM0400</b>  | Complete base                 |  |
|  | 6<br><b>MAKITANK01**</b> | Wall anchoring kit            |  |
|  | 7<br><b>MAMASTA0010</b>  | Stabilizer bar (optional)     |  |
|  | 8<br><b>TMEZZA</b>       | Half extension                |  |
|  <p>*Wall anchoring compulsory every two .extensions.</p> | 1<br><b>MAPIMAT0200</b>  | Complete Platform             | <b>TM201</b><br><b>TM202</b><br><b>TM203</b><br><b>TM204</b><br><b>TM205</b><br>(pag 71)   |
|  | 2<br><b>MACOPRA0020</b>  | Pair of guard rails           |  |
|  | 3<br><b>MAKITAL0200</b>  | Complete extension kit 1,6 m* |  |
|  | 4<br><b>MAKITANK03</b>   | Wall anchoring kit*           |  |
|  | 5<br><b>MABACTM0200</b>  | Complete base                 |  |
|  | 6<br><b>MAMASTA0010</b>  | Outrigger (optional)          |  |



|  | Code  | Description                      | for  |
|--|---|----------------------------------|--|
|  <p>* Wall anchoring compulsory TL303 e TL304.<br/>** For TL303, TL304 e TL302.</p> | 1<br><b>DSLBASSELF02</b>  | Self assembling base D.lgs 81/80 | <b>TL302</b><br><b>TL303</b><br><b>TL304</b><br>(pag 70) |
|  | 2<br><b>DSLCSAMELF01</b>  | Extension kit SELFIX             |  |
|  | 3<br><b>DSLPARSELF01</b>  | Pair of guard rails              |  |
|  | 4<br><b>DSLPIASELF01</b>  | Platform with trapdoor           |  |
|  | 5<br><b>MAKITANK01*</b>   | Wall anchoring kit               |  |
|  | 6<br><b>DSLSTABSEL03**</b>  | Outrigger (optional)             |  |
|    | 1<br><b>D4074</b>   | Whell assembly + fixture kit     | <b>F0003</b><br>(pag 72)                                 |
|  | 1<br><b>D4075</b>   | Whell assembly + fixture kit     | <b>F0005</b><br><b>F0015</b><br>(pag 72)                 |
|  | 1<br><b>D4076</b>   | Whell assembly + fixture kit     | <b>FE010</b><br>(pag 72)                                 |
|  | 2<br><b>DSLPITRA0110</b>  | Radiata pinewood work platform   | <b>F0003</b> <b>F0015</b><br><b>F0005</b> (pag 72)       |
|  | 2<br><b>DSLPITRA2110</b>  | Radiata pinewood work platform   | <b>FE010</b><br>(pag 72)                                 |
|  | 3<br><b>DSLTRPTM0020</b>  | Extension                        | <b>F0003</b><br><b>F0005</b><br>(pag 72)                 |
|  | 3<br><b>DSLTRPTS2805</b>  | Extension                        | <b>FE010</b><br>(pag 72)                                 |
|  | 4<br><b>DSLTIITA1810</b>  | Galvanized tie rod               | <b>F0003</b> <b>F0015</b><br><b>F0005</b> (pag 72)       |
|  | 4<br><b>DSLTIITA2810</b>  | Galvanized tie rod               | <b>FE010</b><br>(pag 72)                                 |
|  |  | 1<br><b>D4074</b>                | Whell assembly + fixture kit                             |
| 1<br><b>D4075</b>  |   | Whell assembly + fixture kit     | <b>FZ005</b><br>(pag 73)                                 |
| 1<br><b>D4076</b>  |   | Whell assembly + fixture kit     | <b>FZ010</b><br>(pag 73)                                 |
| 2<br><b>DSLPITRA0110</b>   |   | Radiata pinewood work platform   | <b>FZ003</b><br><b>FZ005</b><br>(pag 73)                 |
| 2<br><b>DSLPITRA2110</b>   |   | Radiata pinewood work platform   | <b>FZ010</b><br>(pag 73)                                 |
| 3<br><b>DSLTRPTZ2805</b>   |   | Extension                        | <b>FZ010</b><br>(pag 73)                                 |
| 4<br><b>DSLTIITA1810</b>   |   | Galvanized tie rod               | <b>FZ003</b><br><b>FZ005</b><br>(pag 73)                 |
| 4<br><b>DSLTIITA2810</b>   |   | Galvanized tie rod               | <b>FZ010</b><br>(pag 73)                                 |



## Spare Parts for Steel Hand-Trucks

|   | Code         | Description                     | EAN           |  | for  |
|---|--------------|---------------------------------|---------------|--|--|
|    | <b>D4081</b> | Simple handle kit<br>2 pcs      | 8013186994812 |  | <b>GE010</b><br>(pag 82)   |
|    | <b>D8001</b> | Large PVC wheel                 | 8013186995062 |  | <b>GE005</b><br><b>GE010</b><br>(pag 82)   |
|    | <b>D4081</b> | Simple handle kit<br>2 pcs      | 8013186994812 |  | <b>GE020</b><br><b>GE025</b><br><b>GE030*</b><br><small>*After 2021</small><br>(pag 82) <b>GE040*</b><br><b>GE050*</b> |
|    | <b>D8004</b> | Pneumatic tyre<br>plastic rim   | 8013186995000 |  | <b>GE020</b><br><b>GE025</b><br>(pag 82)   |
|    | <b>D8006</b> | Plyurethan tyre,<br>plastic rim | 8013186995024 |  |  |
|    | <b>D4082</b> | Coated handel kit<br>2 pcs      | 8013186994829 |  | <b>GE030</b><br><b>GE040</b><br><small>After 2021</small><br>(pag 82) <b>GE050</b>                                     |
|    | <b>D8003</b> | Pneumatic tyre<br>steel rim     | 8013186995017 |  | <b>GP020</b><br><b>GE030</b><br><b>GE040</b><br>(pag 82)   |
|   | <b>D8007</b> | Olyurethane tyre,<br>steel rim  | 8013186995048 |  |  |
|  | <b>D8005</b> | Triple wheels                   | 8013186995055 |  | <b>GP030</b><br><b>GU030</b><br><b>GE050</b><br>(pag 82)   |

## Accessories for Ladders

|   | Code         | Description                       | EAN           |  | for  |
|---|--------------|-----------------------------------|---------------|--|--|
|    | <b>D4009</b> | Fixed platform                    | 8013186997004 |  | <b>AL010</b><br><b>AL020</b><br><b>AL030</b><br><b>AL040</b><br>(pag 8)                                  |
|    | <b>D4015</b> | Tool top                          | 8013186997028 |  | <b>AL060</b><br>(pag 8)  |
|    | <b>D4020</b> | Handrail                          | 8013186997073 |  | <b>AL730</b><br><b>AL740</b><br><b>AL750</b><br>(pag 8-19)   |
|    | <b>D4100</b> | Tool tray                         | 8013186994102 |  | <b>AL130</b><br><b>AL140</b><br>(pag 21)   |
|   | <b>D4102</b> | Tool tray                         | 8013186994386 |  | <b>AL150</b><br><b>AL160</b><br><b>AL170</b><br>(pag 21)   |
|    | <b>D4032</b> | Ladder tools bag                  | 8013186994324 |  | <b>AL130</b><br><b>AL140</b><br><b>AL150</b><br><b>AL160</b><br>(pag 21)                                 |
|   | <b>D1000</b> | Tilting rubber foot               | 8013186997103 |  | <b>AL610</b><br><b>AL620</b><br><b>AL630</b><br><b>AL640</b><br><b>AL650</b><br><b>AL660</b><br>(pag 33) |
|  | <b>D1010</b> | Tilting screwed-in foot           | 8013186997110 |  |  |
|  | <b>D4019</b> | Ladder rack                       | 8013186997066 |  | Universal accessories  |
|  | <b>D4021</b> | Ladder protection bag outdoor use | 8013186997080 |  |  |
|   | <b>D4029</b> | Ladder protection bag outdoor use | 8013186997165 |  |  |

## Accessories for Aluminium Loading Ramps

|   | Code                   | Description                                 | EAN           |  | for   |   |
|---|------------------------|---|---------------|--|---|---|
|  | 1<br><b>DMAKITRA01</b> | Ramp interlocking kit for 2 ramps<br>2 pcs. | 8013186993419 |  | <b>RF200</b><br><b>RF250</b><br><b>RF300</b><br>(pag 76)    | <b>RR200</b><br><b>RR250</b><br><b>RR300</b><br>(pag 77)    |
|   | 2<br><b>DMAKITRA02</b> | Ramp interlocking kit for 3 ramps<br>2 pcs. | 8013186993457 |  |   |   |
|   | 3<br><b>DMANRA01</b>   | Ramp carryng handle                         | 8013186993402 |  | <b>RR200</b><br><b>RR250</b>                                | <b>RR300</b><br>(pag 76)                                    |
|  | 1<br><b>DMAKITRA01</b> | Ramp interlocking kit for 2 ramps<br>2 pcs. | 8013186993419 |  | <b>RFL150</b><br><b>RFL200</b><br><b>RFL250</b><br>(pag 78) | <b>RRL150</b><br><b>RRL200</b><br><b>RRL250</b><br>(pag 79) |
|   | 2<br><b>DMAKITRA02</b> | Ramp interlocking kit for 3 ramps<br>2 pcs. | 8013186993457 |  |   |   |
|   | 3<br><b>DMANRA01</b>   | Ramp carryng handle                         | 8013186993402 |  | <b>RRL150</b><br><b>RRL200</b>                              | <b>RRL250</b><br>(pag 79)                                   |



# Summary Tables ■



# Telescopic Multi-purpose Combination Ladders and Multi-position Ladders



| code       | AL010                                  | AL015                                  | AL020                                  | AL030                                  | AL040                                  | AL060                                  |
|------------|--|--|--|--|--|--|
|            | 3+3                                    | 3+4                                    | 4+4                                    | 4+5                                    | 5+5                                    | 6+6                                    |
|            | 2,71 m                                 | 2,95 m                                 | 3,20 m                                 | 3,45 m                                 | 3,70 m                                 | 4,21 m                                 |
|            | 3,71 m                                 | 4,20 m                                 | 4,70 m                                 | 5,20 m                                 | 5,70 m                                 | 6,75 m                                 |
|            | N.A.                                   | 0,70 m                                 | 0,80 m                                 | 0,80 m                                 | 0,90 m                                 | 1,02 m                                 |
|            | A = 0,89 m<br>B = 0,49 m<br>C = 0,23 m | A = 1,15 m<br>B = 0,48 m<br>C = 0,24 m | A = 1,15 m<br>B = 0,57 m<br>C = 0,24 m | A = 1,41 m<br>B = 0,57 m<br>C = 0,24 m | A = 1,41 m<br>B = 0,64 m<br>C = 0,24 m | A = 1,67 m<br>B = 0,66 m<br>C = 0,24 m |
|            | 0,10                                   | 0,15                                   | 0,16                                   | 0,19                                   | 0,22                                   | 0,26                                   |
|            | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               |
|            | 30x30 mm                               | 30x30 mm                               | 30x30 mm                               | 30x30 mm                               | 30x30 mm                               | 30x30 mm                               |
|            | A = 1,41 m<br>B = 0,88 m<br>C = 1,35 m | A = 1,67 m<br>B = 1,04 m<br>C = 1,60 m | A = 1,93 m<br>B = 1,15 m<br>C = 1,85 m | A = 2,19 m<br>B = 1,28 m<br>C = 2,10 m | A = 2,45 m<br>B = 1,41 m<br>C = 2,35 m | A = 2,97 m<br>B = 1,68 m<br>C = 2,85 m |
|            | A = 2,75 m<br>B = 0,78 m<br>C = 2,66 m | A = 3,26 m<br>B = 0,91 m<br>C = 3,15 m | A = 3,78 m<br>B = 1,04 m<br>C = 3,65 m | A = 4,30 m<br>B = 1,20 m<br>C = 4,16 m | A = 4,82 m<br>B = 1,32 m<br>C = 4,65 m | A = 5,86 m<br>B = 1,58 m<br>C = 5,67 m |
|            | 9,05                                   | 9,50                                   | 11,65                                  | 12,35                                  | 14,05                                  | 18,10                                  |
|            | 33                                     | 22                                     | 22                                     | 22                                     | 22                                     | 22                                     |
| <b>EAN</b> | <br>8 013186 220102                    | <br>8 013186 221154                    | <br>8 013186 220201                    | <br>8 013186 220300                    | <br>8 013186 220409                    | <br>8 013186 220607                    |



| code       | ALL015                                 | ALL020                                 | ALL030                                 | ALL040                                 | ALL060                                 |
|------------|--|--|--|--|--|
|            | 3+4                                    | 4+4                                    | 4+5                                    | 5+5                                    | 6+6                                    |
|            | 2,95 m                                 | 3,20 m                                 | 3,45 m                                 | 3,70 m                                 | 4,21 m                                 |
|            | 4,20 m                                 | 4,70 m                                 | 5,20 m                                 | 5,70 m                                 | 6,75 m                                 |
|            | A = 1,15 m<br>B = 0,48 m<br>C = 0,24 m | A = 1,15 m<br>B = 0,57 m<br>C = 0,24 m | A = 1,41 m<br>B = 0,57 m<br>C = 0,24 m | A = 1,41 m<br>B = 0,64 m<br>C = 0,24 m | A = 1,67 m<br>B = 0,66 m<br>C = 0,24 m |
|            | 0,15                                   | 0,16                                   | 0,19                                   | 0,22                                   | 0,26                                   |
|            | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               |
|            | 30x30 mm                               | 30x30 mm                               | 30x30 mm                               | 30x30 mm                               | 30x30 mm                               |
|            | A = 1,67 m<br>B = 1,04 m<br>C = 1,60 m | A = 1,93 m<br>B = 1,15 m<br>C = 1,85 m | A = 2,19 m<br>B = 1,28 m<br>C = 2,10 m | A = 2,45 m<br>B = 1,41 m<br>C = 2,35 m | A = 2,97 m<br>B = 1,68 m<br>C = 2,85 m |
|            | A = 3,26 m<br>B = 0,91 m<br>C = 3,15 m | A = 3,78 m<br>B = 1,04 m<br>C = 3,65 m | A = 4,30 m<br>B = 1,20 m<br>C = 4,16 m | A = 4,82 m<br>B = 1,32 m<br>C = 4,65 m | A = 5,86 m<br>B = 1,58 m<br>C = 5,67 m |
|            | 9,50                                   | 11,65                                  | 12,35                                  | 14,05                                  | 18,10                                  |
|            | 22                                     | 22                                     | 22                                     | 22                                     | 22                                     |
| <b>EAN</b> | <br>8 013186 222151                    | <br>8 013186 222205                    | <br>8 013186 220331                    | <br>8 013186 222403                    | <br>8 013186 222601                    |



| Code       | AL001                                  | AL002                                  | AL003                                  | AL004                                  | ED002CL                                | ED004CL                                |
|------------|--|--|--|--|--|--|
|            | 3+4                                    | 4+4                                    | 4+5                                    | 5+5                                    | 4+4                                    | 5+5                                    |
|            | 2,95 m                                 | 3,20 m                                 | 3,45 m                                 | 3,70 m                                 | 3,20 m                                 | 3,70 m                                 |
|            | 4,22 m                                 | 4,72 m                                 | 5,22 m                                 | 5,72 m                                 | N.A.                                   | N.A.                                   |
|            | A = 1,15 m<br>B = 0,48 m<br>C = 0,21 m | A = 1,15 m<br>B = 0,55 m<br>C = 0,21 m | A = 1,41 m<br>B = 0,55 m<br>C = 0,21 m | A = 1,41 m<br>B = 0,63 m<br>C = 0,21 m | A = 1,15 m<br>B = 0,55 m<br>C = 0,21 m | A = 1,41 m<br>B = 0,63 m<br>C = 0,21 m |
|            | 0,13                                   | 0,13                                   | 0,15                                   | 0,19                                   | 0,13                                   | 0,19                                   |
|            | 51x22 mm                               | 51x22 mm                               | 51x22 mm                               | 51x22 mm                               | 51x22 mm                               | 51x22 mm                               |
|            | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
|            | A = 1,67 m<br>B = 0,99 m<br>C = 1,59 m | A = 1,93 m<br>B = 1,12 m<br>C = 1,85 m | A = 2,19 m<br>B = 1,26 m<br>C = 2,10 m | A = 2,45 m<br>B = 1,39 m<br>C = 2,35 m | A = 1,93 m<br>B = 1,12 m<br>C = 1,85 m | A = 2,45 m<br>B = 1,39 m<br>C = 2,35 m |
|            | A = 3,20 m<br>B = 0,84 m<br>C = 3,13 m | A = 3,77 m<br>B = 0,97 m<br>C = 3,63 m | A = 4,29 m<br>B = 1,11 m<br>C = 4,14 m | A = 4,81 m<br>B = 1,24 m<br>C = 4,64 m | N.A.                                   | N.A.                                   |
|            | 7,50                                   | 8,40                                   | 9,40                                   | 10,30                                  | 8,40                                   | 10,30                                  |
|            | 26                                     | 26                                     | 26                                     | 26                                     | 26                                     | 26                                     |
| <b>EAN</b> | <br>8 013186 220133                    | <br>8 013186 220027                    | <br>8 013186 220034                    | <br>8 013186 220041                    | <br>8 013186 240025                    | <br>8 013186 240049                    |



| Code | A0010                                  | A0040                                  | A0050                                  | A0080                                  |
|------|--|--|--|--|
|      | 3+3                                    | 4+4                                    | 4+5                                    | 5+5                                    |
|      | 2,69 m                                 | 3,20 m                                 | 3,45 m                                 | 3,70 m                                 |
|      | 3,70 m                                 | 4,70 m                                 | 5,20 m                                 | 5,68 m                                 |
|      | A = 0,87 m<br>B = 0,40 m<br>C = 0,17 m | A = 1,15 m<br>B = 0,47 m<br>C = 0,17 m | A = 1,41 m<br>B = 0,47 m<br>C = 0,17 m | A = 1,41 m<br>B = 0,59 m<br>C = 0,19 m |
|      | 0,06                                   | 0,09                                   | 0,11                                   | 0,15                                   |
|      | 40x20 mm                               | 40x20 mm                               | 40x20 mm                               | 50x20 mm                               |
|      | 20x15 mm                               | 20x15 mm                               | 20x15 mm                               | 20x15 mm                               |
|      | A = 1,39 m<br>B = 0,83 m<br>C = 1,34 m | A = 1,93 m<br>B = 1,10 m<br>C = 1,85 m | A = 2,16 m<br>B = 1,23 m<br>C = 2,10 m | A = 2,45 m<br>B = 1,39 m<br>C = 2,36 m |
|      | A = 2,72 m<br>B = 0,70 m<br>C = 2,63 m | A = 3,76 m<br>B = 0,97 m<br>C = 3,63 m | A = 4,28 m<br>B = 1,10 m<br>C = 4,14 m | A = 4,81 m<br>B = 1,24 m<br>C = 4,65 m |
|      | 9,00                                   | 11,40                                  | 13,00                                  | 17,20                                  |
|      | 45                                     | 45                                     | 30                                     | 28                                     |
| EAN  | <br>8 013186 000100                    | <br>8 013186 000407                    | <br>8 013186 000506                    | <br>8 013186 000803                    |





| Code | AM010                                  | AM020                                  | AM030                                  | Codice | AL900D                   |
|------|--|--|--|--------|--------------------------|
|      | 4+4                                    | 4+5                                    | 5+5                                    |        | 3+3+3+3                  |
|      | 3,20 m                                 | 3,45 m                                 | 3,71 m                                 |        | 3,40 m                   |
|      | 4,71 m                                 | 5,21 m                                 | 5,72 m                                 |        | 3,95 m                   |
|      | A = 1,15 m<br>B = 0,53 m<br>C = 0,19 m | A = 1,41 m<br>B = 0,53 m<br>C = 0,19 m | A = 1,41 m<br>B = 0,58 m<br>C = 0,19 m |        | A = 0,93 m<br>B = 0,27 m |
|      | 0,11                                   | 0,14                                   | 0,15                                   |        | 0,77 m                   |
|      | 50x23 mm                               | 50x23 mm                               | 50x23 mm                               |        | 30x30 mm                 |
|      | 20x15 mm                               | 20x15 mm                               | 20x15 mm                               |        | A = 2,26 m<br>B = 0,91 m |
|      | A = 1,93 m<br>B = 1,12 m<br>C = 1,85 m | A = 2,19 m<br>B = 1,25 m<br>C = 2,10 m | A = 2,44 m<br>B = 1,39 m<br>C = 2,35 m |        | 3,45 m                   |
|      | A = 3,77 m<br>B =<br>C = 3,64 m        | A = 4,29 m<br>B =<br>C = 4,14 m        | A = 4,82 m<br>B =<br>C = 4,65 m        |        | 1,68 m                   |
|      | 11,00                                  | 11,90                                  | 13,20                                  |        | 16,80                    |
|      | 28                                     | 28                                     | 28                                     |        | 24                       |
| EAN  | <br>8 013186 230101                    | <br>8 013186 230200                    | <br>8 013186 230309                    | EAN    | <br>8 013186 669215      |

## Stepladders and Household Ladders



| Code | AL700                                  | AL710                                  | AL720                                  | AL730                                  | AL740                                  | AL750                                  |
|------|--|--|--|--|--|--|
|      | 3                                      | 4                                      | 5                                      | 6                                      | 7                                      | 8                                      |
|      | NO                                     | NO                                     | NO                                     | OPTIONAL                               | OPTIONAL                               | OPTIONAL                               |
|      | 2,63 m                                 | 2,90 m                                 | 3,10 m                                 | 3,35 m                                 | 3,60 m                                 | 3,84 m                                 |
|      | A = 1,36 m<br>B = 0,43 m<br>C = 0,13 m | A = 1,60 m<br>B = 0,45 m<br>C = 0,13 m | A = 1,90 m<br>B = 0,48 m<br>C = 0,13 m | A = 2,15 m<br>B = 0,51 m<br>C = 0,13 m | A = 2,39 m<br>B = 0,53 m<br>C = 0,13 m | A = 2,65 m<br>B = 0,56 m<br>C = 0,13 m |
|      | 0,08                                   | 0,10                                   | 0,12                                   | 0,14                                   | 0,17                                   | 0,19                                   |
|      | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   |
|      | 110 mm                                 | 110 mm                                 | 110 mm                                 | 110 mm                                 | 110 mm                                 | 110 mm                                 |
|      | A = 1,36 m<br>B = 0,70 m<br>C = 1,22 m | A = 1,60 m<br>B = 0,85 m<br>C = 1,50 m | A = 1,90 m<br>B = 1,00 m<br>C = 1,70 m | A = 2,15 m<br>B = 0,51 m<br>C = 1,96 m | A = 2,39 m<br>B = 1,34 m<br>C = 2,20 m | A = 2,65 m<br>B = 1,50 m<br>C = 2,44 m |
|      | 0,63 m                                 | 0,90 m                                 | 1,10 m                                 | 1,35 m                                 | 1,60 m                                 | 1,84 m                                 |
|      | 4,30                                   | 5,10                                   | 6,00                                   | 7,10                                   | 8,00                                   | 9,30                                   |
|      | 20                                     | 36                                     | 36                                     | 36                                     | 36                                     | 36                                     |
| EAN  | <br>8 013186 247000                    | <br>8 013186 247109                    | <br>8 013186 247208                    | <br>8 013186 247307                    | <br>8 013186 247406                    | <br>8 013186 247505                    |



| Code | ALL700                                 | ALL710                                 | ALL720                                 | ALL730                                 | ALL740                                 | ALL750                                 |
|------|--|--|--|--|--|--|
|      | 3                                      | 4                                      | 5                                      | 6                                      | 7                                      | 8                                      |
|      | NO                                     | NO                                     | NO                                     | OPTIONAL                               | OPTIONAL                               | OPTIONAL                               |
|      | 2,63 m                                 | 2,87 m                                 | 3,12 m                                 | 3,36 m                                 | 3,60 m                                 | 3,84 m                                 |
|      | A = 1,36 m<br>B = 0,43 m<br>C = 0,13 m | A = 1,62 m<br>B = 0,46 m<br>C = 0,13 m | A = 1,88 m<br>B = 0,48 m<br>C = 0,13 m | A = 2,13 m<br>B = 0,51 m<br>C = 0,13 m | A = 2,39 m<br>B = 0,54 m<br>C = 0,13 m | A = 2,65 m<br>B = 0,56 m<br>C = 0,13 m |
|      | 0,08                                   | 0,10                                   | 0,12                                   | 0,14                                   | 0,17                                   | 0,19                                   |
|      | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   | 50x22 mm<br>40x22 mm                   |
|      | 110 mm                                 | 110 mm                                 | 110 mm                                 | 110 mm                                 | 110 mm                                 | 110 mm                                 |
|      | A = 1,36 m<br>B = 0,68 m<br>C = 1,23 m | A = 1,62 m<br>B = 0,84 m<br>C = 1,47 m | A = 1,88 m<br>B = 1,00 m<br>C = 1,71 m | A = 2,13 m<br>B = 1,17 m<br>C = 1,96 m | A = 2,39 m<br>B = 1,33 m<br>C = 2,20 m | A = 2,65 m<br>B = 1,49 m<br>C = 2,44 m |
|      | 0,63 m                                 | 0,87 m                                 | 1,12 m                                 | 1,36 m                                 | 1,60 m                                 | 1,84 m                                 |
|      | 4,30                                   | 5,10                                   | 6,00                                   | 7,10                                   | 8,00                                   | 9,30                                   |
|      | 20                                     | 36                                     | 36                                     | 36                                     | 36                                     | 36                                     |
| EAN  | <br>8 013186 227705                    | <br>8 013186 227101                    | <br>8 013186 227200                    | <br>8 013186 227309                    | <br>8 013186 227408                    | <br>8 013186 227507                    |




| Code | AL130                                  | AL140                                  | AL150                                  | AL160                                  | AL170                                  | AL180                                  |
|------|--|--|--|--|--|--|
|      | 3                                      | 4                                      | 5                                      | 6                                      | 7                                      | 8                                      |
|      | 2,59 m                                 | 2,80 m                                 | 3,02 m                                 | 3,23 m                                 | 3,41 m                                 | 3,62 m                                 |
|      | A = 1,29 m<br>B = 0,41 m<br>C = 0,12 m | A = 1,51 m<br>B = 0,44 m<br>C = 0,12 m | A = 1,75 m<br>B = 0,46 m<br>C = 0,12 m | A = 1,97 m<br>B = 0,48 m<br>C = 0,12 m | A = 2,17 m<br>B = 0,51 m<br>C = 0,12 m | A = 2,40 m<br>B = 0,53 m<br>C = 0,12 m |
|      | 0,06                                   | 0,08                                   | 0,10                                   | 0,11                                   | 0,13                                   | 0,15                                   |
|      | 33x20 mm                               | 33x20 mm                               | 40x20 mm<br>33x20 mm                   | 40x20 mm<br>33x20 mm                   | 40x20 mm<br>33x20 mm                   | 40x20 mm<br>33x20 mm                   |
|      | 81 mm                                  | 81 mm                                  | 81 mm                                  | 81 mm                                  | 81 mm                                  | 81 mm                                  |
|      | A = 1,29 m<br>B = 0,67 m<br>C = 1,20 m | A = 1,51 m<br>B = 0,82 m<br>C = 1,41 m | A = 1,75 m<br>B = 0,96 m<br>C = 1,63 m | A = 1,97 m<br>B = 1,10 m<br>C = 1,84 m | A = 2,17 m<br>B = 1,27 m<br>C = 2,02 m | A = 2,43 m<br>B = 1,41 m<br>C = 2,23 m |
|      | 0,59 m                                 | 0,80 m                                 | 1,02 m                                 | 1,23 m                                 | 1,41 m                                 | 1,62 m                                 |
|      | 3,40                                   | 4,00                                   | 4,60                                   | 5,40                                   | 6,40                                   | 7,40                                   |
|      | 75                                     | 75                                     | 72                                     | 70                                     | 68                                     | 66                                     |
| EAN  | <br>8 013186 241312                    | <br>8 013186 241428                    | <br>8 013186 241534                    | <br>8 013186 241626                    | <br>8 013186 241718                    | <br>8 013186 241824                    |



| Code | ALL144                                 | ALL155                                 | ALL166                                 | ALL177                                 | ALL188                                 |
|------|--|--|--|--|--|
|      | 4                                      | 5                                      | 6                                      | 7                                      | 8                                      |
|      | 2,75 m                                 | 2,97 m                                 | 3,18 m                                 | 3,40 m                                 | 3,61 m                                 |
|      | A = 1,46 m<br>B = 0,43 m<br>C = 0,12 m | A = 1,68 m<br>B = 0,45 m<br>C = 0,12 m | A = 1,90 m<br>B = 0,48 m<br>C = 0,12 m | A = 2,12 m<br>B = 0,50 m<br>C = 0,12 m | A = 2,34 m<br>B = 0,52 m<br>C = 0,12 m |
|      | 0,08                                   | 0,10                                   | 0,11                                   | 0,13                                   | 0,15                                   |
|      | 40x20 mm<br>33x20 mm                   | 40x20 mm<br>33x20 mm                   | 40x20 mm<br>33x20 mm                   | 40x20 mm<br>33x20 mm                   | 40x20 mm<br>33x20 mm                   |
|      | 81 mm                                  | 81 mm                                  | 81 mm                                  | 81 mm                                  | 81 mm                                  |
|      | A = 1,46 m<br>B = 0,75 m<br>C = 1,36 m | A = 1,68 m<br>B = 0,89 m<br>C = 1,58 m | A = 1,91 m<br>B = 1,03 m<br>C = 1,79 m | A = 2,12 m<br>B = 1,17 m<br>C = 2,01 m | A = 2,34 m<br>B = 1,31 m<br>C = 2,22 m |
|      | 0,75 m                                 | 0,97 m                                 | 1,18 m                                 | 1,40 m                                 | 1,61 m                                 |
|      | 2,90                                   | 3,60                                   | 4,20                                   | 4,70                                   | 5,60                                   |
|      | 72                                     | 72                                     | 66                                     | 66                                     | 66                                     |
| EAN  | <br>8 013186 244412                    | <br>8 013186 245570                    | <br>8 013186 245662                    | <br>8 013186 247710                    | <br>8 013186 248816                    |




### 3-Section Combination Ladders




| Code | AL405HHL                               | AL410HHL                               | AL415HHL                               | AL435HHL                               |
|------|--|--|--|--|
|      | 3x7                                    | 3x8                                    | 3x9                                    | 3x11                                   |
|      | 3,27 m                                 | 3,54 m                                 | 3,81 m                                 | 4,35 m                                 |
|      | 3,84 m                                 | 4,37 m                                 | 4,64                                   | 5,43                                   |
|      | 4,96                                   | 5,78                                   | 6,31                                   | 7,60                                   |
|      | 1,20 m                                 | 1,20 m                                 | 1,20 m                                 | 1,20 m                                 |
|      | A = 2,15 m<br>B = 0,46 m<br>C = 0,15 m | A = 2,43 m<br>B = 0,46 m<br>C = 0,15 m | A = 2,71 m<br>B = 0,46 m<br>C = 0,15 m | A = 3,28 m<br>B = 0,46 m<br>C = 0,17 m |
|      | 0,15                                   | 0,17                                   | 0,19                                   | 0,26                                   |
|      | 60x22 m                                | 60x22 m                                | 60x22 m                                | 73x22 m                                |
|      | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
|      | A = 2,05 m<br>B = 1,35 m<br>C = 2,05 m | A = 2,33 m<br>B = 1,51 m<br>C = 2,33 m | A = 2,61 m<br>B = 1,69 m<br>C = 2,58 m | A = 3,14 m<br>B = 2,07 m<br>C = 2,05 m |
|      | A = 3,19 m<br>B = 1,35 m<br>C = 3,03 m | A = 3,75 m<br>B = 1,51 m<br>C = 3,57 m | A = 4,04 m<br>B = 1,69 m<br>C = 3,84 m | A = 4,89 m<br>B = 2,07 m<br>C = 4,64 m |
|      | A = 4,07 m<br>B = 1,18 m<br>C = 3,90 m | A = 4,91 m<br>B = 1,46 m<br>C = 4,74 m | A = 5,48 m<br>B = 1,56 m<br>C = 5,26 m | A = 6,90 m<br>B = 1,95 m<br>C = 6,63 m |
|      | 0,52 m                                 | 0,52 m                                 | 0,52 m                                 | 0,52 m                                 |
|      | 14,40                                  | 15,30                                  | 17,10                                  | 22,50                                  |
|      | 20                                     | 20                                     | 20                                     | 16                                     |
| EAN  | <br>3 700867 909207                    | <br>4 007126 026200                    | <br>4 007126 026217                    | <br>4 007126 026224                    |



| Code                     | AL400                                  | AL405                                  | AL410                                  | AL415                                  |
|--------------------------|--|--|--|--|
|                          | 3x6                                    | 3x7                                    | 3x8                                    | 3x9                                    |
|                          | 2,95 m                                 | 3,21 m                                 | 3,48 m                                 | 3,75 m                                 |
|                          | 3,50                                   | 3,76                                   | 4,29                                   | 4,56                                   |
|                          | 4,52                                   | 4,87                                   | 5,69                                   | 6,23                                   |
|                          | 0,80 m                                 | 0,80 m                                 | 0,90 m                                 | 0,90 m                                 |
|                          | A = 1,72 m<br>B = 0,45 m<br>C = 0,15 m | A = 1,99 m<br>B = 0,45 m<br>C = 0,15 m | A = 2,28 m<br>B = 0,45 m<br>C = 0,15 m | A = 2,56 m<br>B = 0,45 m<br>C = 0,15 m |
|                          | 0,12                                   | 0,13                                   | 0,15                                   | 0,19                                   |
| <b>MONTANTE</b><br>      | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               |
| <b>PIOLO ESTERNO</b><br> | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
| <b>MAX</b><br>           | A = 1,72 m<br>B = 1,11 m<br>C = 1,65 m | A = 1,99 m<br>B = 1,30 m<br>C = 1,92 m | A = 2,28 m<br>B = 1,48 m<br>C = 2,18 m | A = 2,56 m<br>B = 1,66 m<br>C = 2,45 m |
| <b>MAX</b><br>           | A = 2,55 m<br>B = 1,11 m<br>C = 2,43 m | A = 3,13 m<br>B = 1,30 m<br>C = 2,96 m | A = 3,69 m<br>B = 1,48 m<br>C = 3,50 m | A = 3,97 m<br>B = 1,66 m<br>C = 3,75 m |
| <b>MAX</b><br>           | A = 3,70 m<br>B = 1,09 m<br>C = 3,42 m | A = 3,98 m<br>B = 1,16 m<br>C = 3,83 m | A = 4,83 m<br>B = 1,46 m<br>C = 4,65 m | A = 5,40 m<br>B = 1,54 m<br>C = 5,20 m |
|                          | 9,90                                   | 12,30                                  | 13,20                                  | 14,50                                  |
|                          | 12                                     | 12                                     | 12                                     | 12                                     |
| <b>EAN</b>               | <br>8 013186 244009                    | <br>8 013186 244078                    | <br>8 013186 244108                    | <br>8 013186 244191                    |



| Code                     | AL420                                  | AL435                                  | AL445                                  | AL450                                  |
|--------------------------|--|--|--|--|
|                          | 3x10                                   | 3x11                                   | 3x12                                   | 3x14                                   |
|                          | 4,01 m                                 | 4,28 m                                 | 4,56 m                                 | 5,08 m                                 |
|                          | 4,82                                   | 5,36                                   | 6,16                                   | 6,43                                   |
|                          | 6,78                                   | 7,60                                   | 8,15                                   | 8,69                                   |
|                          | 1,20 m                                 | 1,20 m                                 | 1,20 m                                 | 1,20 m                                 |
|                          | A = 2,85 m<br>B = 0,45 m<br>C = 0,16 m | A = 3,13 m<br>B = 0,45 m<br>C = 0,18 m | A = 3,42 m<br>B = 0,45 m<br>C = 0,19 m | A = 3,99 m<br>B = 0,45 m<br>C = 0,19 m |
|                          | 0,21                                   | 0,28                                   | 0,30                                   | 0,35                                   |
| <b>MONTANTE</b><br>      | 73x22 mm                               | 73x22 mm                               | 84x22 mm                               | 84x22 mm                               |
| <b>PIOLO ESTERNO</b><br> | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
| <b>MAX</b><br>           | A = 2,85 m<br>B = 1,86 m<br>C = 2,72 m | A = 3,13 m<br>B = 2,04 m<br>C = 3,00 m | A = 3,42 m<br>B = 2,24 m<br>C = 3,27 m | A = 3,99 m<br>B = 2,60 m<br>C = 3,81 m |
| <b>MAX</b><br>           | A = 4,27 m<br>B = 1,86 m<br>C = 4,03 m | A = 4,83 m<br>B = 2,04 m<br>C = 4,57 m | A = 5,68 m<br>B = 2,24 m<br>C = 5,37 m | A = 5,96 m<br>B = 2,60 m<br>C = 5,64 m |
| <b>MAX</b><br>           | A = 5,96 m<br>B = 1,70 m<br>C = 5,74 m | A = 6,82 m<br>B = 1,93 m<br>C = 6,54 m | A = 7,66 m<br>B = 2,16 m<br>C = 7,38 m | A = 7,96 m<br>B = 2,24 m<br>C = 7,65 m |
|                          | 18,50                                  | 20,40                                  | 23,60                                  | 26,40                                  |
|                          | 10                                     | 10                                     | 10                                     | 10                                     |
| <b>EAN</b>               | <br>8 013186 244207                    | <br>8 013186 244351                    | <br>8 013186 244450                    | <br>8 013186 244504                    |



| Code | ALL400                                 | ALL405                                 | ALL410                                 | ALL415                                 | ALL420                                 | ALL435                                 |
|------|--|--|--|--|--|--|
|      | 3x6                                    | 3x7                                    | 3x8                                    | 3x9                                    | 3x10                                   | 3x11                                   |
|      | 2,95 m                                 | 3,21 m                                 | 3,48 m                                 | 3,75 m                                 | 4,01 m                                 | 4,28 m                                 |
|      | 2,95 m                                 | 3,48 m                                 | 4,01 m                                 | 4,27 m                                 | 4,79 m                                 | 5,09 m                                 |
|      | 4,32 m                                 | 4,58 m                                 | 5,39 m                                 | 5,67 m                                 | 4,49 m                                 | 6,70 m                                 |
|      | 0,70 m                                 | 0,70 m                                 | 0,80 m                                 | 0,80 m                                 | 0,90 m                                 | 0,90 m                                 |
|      | A = 1,72 m<br>B = 0,45 m<br>C = 0,13 m | A = 1,99 m<br>B = 0,45 m<br>C = 0,13 m | A = 2,28 m<br>B = 0,45 m<br>C = 0,14 m | A = 2,56 m<br>B = 0,45 m<br>C = 0,14 m | A = 2,85 m<br>B = 0,45 m<br>C = 0,15 m | A = 3,13 m<br>B = 0,45 m<br>C = 0,15 m |
|      | 0,10                                   | 0,11                                   | 0,14                                   | 0,16                                   | 0,19                                   | 0,21                                   |
|      | 50x22 m                                | 50x22 m                                | 56x22 m                                | 56x22 m                                | 60x22 m                                | 60x22 m                                |
|      | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
|      | A = 1,72 m<br>B = 1,11 m<br>C = 1,65 m | A = 1,99 m<br>B = 1,30 m<br>C = 1,92 m | A = 2,28 m<br>B = 1,48 m<br>C = 2,18 m | A = 2,56 m<br>B = 1,66 m<br>C = 2,45 m | A = 2,85 m<br>B = 1,86 m<br>C = 2,72 m | A = 3,13 m<br>B = 2,04 m<br>C = 3,00 m |
|      | A = 2,27 m<br>B = 1,11 m<br>C = 2,16 m | A = 2,86 m<br>B = 1,30 m<br>C = 2,69 m | A = 3,41 m<br>B = 1,48 m<br>C = 3,22 m | A = 3,70 m<br>B = 1,66 m<br>C = 3,48 m | A = 3,99 m<br>B = 1,86 m<br>C = 4,00 m | A = 4,51 m<br>B = 2,04 m<br>C = 4,30 m |
|      | A = 3,43 m<br>B = 1,05 m<br>C = 3,30 m | A = 3,70 m<br>B = 1,09 m<br>C = 3,56 m | A=4,55<br>B=1,38<br>C=4,37             | A=4,83<br>B=1,45<br>C=4,65             | A=5,68<br>B=1,65<br>C=5,47             | A=5,97<br>B=1,80<br>C=5,68             |
|      | 8,80                                   | 11,00                                  | 12,60                                  | 13,20                                  | 16,8                                   | 18,5                                   |
|      | 12                                     | 12                                     | 12                                     | 12                                     | 12                                     | 12                                     |
| EAN  | <br>8 013186 240100                    | <br>8 013186 240148                    | <br>8 013186 240155                    | <br>8 013186 240162                    | <br>8 013186 240179                    | <br>8 013186 240186                    |

## 2-Section Combination Ladders



| Code       | AL305HHL                               | AL310HHL                               | AL315HHL                               | AL330HHL                               |
|------------|--|--|--|--|
|            | 2x7                                    | 2x8                                    | 2x9                                    | 2x11                                   |
|            | 3,27 m                                 | 3,54 m                                 | 3,81 m                                 | 4,35 m                                 |
|            | 4,13 m                                 | 4,40 m                                 | 4,95 m                                 | 6,03 m                                 |
|            | 1,20 m                                 | 1,20 m                                 | 1,20 m                                 | 1,20 m                                 |
|            | A = 2,15 m<br>B = 0,46 m<br>C = 0,10 m | A = 2,43 m<br>B = 0,46 m<br>C = 0,10 m | A = 2,71 m<br>B = 0,46 m<br>C = 0,10 m | A = 3,28 m<br>B = 0,46 m<br>C = 0,12 m |
|            | 0,10                                   | 0,11                                   | 0,12                                   | 0,18                                   |
|            | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 73x22 mm                               |
|            | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
|            | A = 2,05 m<br>B = 1,35 m<br>C = 2,05 m | A = 2,33 m<br>B = 1,53 m<br>C = 2,31 m | A = 2,61 m<br>B = 1,69 m<br>C = 2,55 m | A = 3,18 m<br>B = 2,07 m<br>C = 3,14 m |
|            | A = 3,21 m<br>B = 0,93 m<br>C = 3,10 m | A = 3,50 m<br>B = 1,00 m<br>C = 3,37 m | A = 4,06 m<br>B = 1,16 m<br>C = 3,02 m | A = 5,19 m<br>B = 1,42 m<br>C = 5,00 m |
|            | 0,52 m                                 | 0,52 m                                 | 0,52 m                                 | 0,52 m                                 |
|            | 9,10                                   | 10,80                                  | 11,50                                  | 14,50                                  |
|            | 28                                     | 28                                     | 28                                     | 16                                     |
| <b>EAN</b> | <br>3 700867 910258                    | <br>3 700867 910241                    | <br>3 700867 910265                    | <br>3 700867 910272                    |





| Code       | AL300                                  | AL305                                  | AL310                                  | AL315                                  | AL320                                  | AL340                                  |
|------------|--|--|--|--|--|--|
|            | 2x6                                    | 2x7                                    | 2x8                                    | 2x9                                    | 2x10                                   | 2x12                                   |
|            | 3,02 m                                 | 3,26 m                                 | 3,48 m                                 | 3,70 m                                 | 4,00 m                                 | 4,55 m                                 |
|            | 3,52 m                                 | 4,06 m                                 | 4,60 m                                 | 5,16 m                                 | 5,42 m                                 | 6,25 m                                 |
|            | 0,80 m                                 | 0,80 m                                 | 0,80 m                                 | 0,90 m                                 | 0,90 m                                 | 1,20 m                                 |
|            | A = 1,99 m<br>B = 0,45 m<br>C = 0,10 m | A = 2,00 m<br>B = 0,45 m<br>C = 0,10 m | A = 2,28 m<br>B = 0,45 m<br>C = 0,10 m | A = 2,56 m<br>B = 0,45 m<br>C = 0,12 m | A = 2,85 m<br>B = 0,45 m<br>C = 0,12 m | A = 3,42 m<br>B = 0,45 m<br>C = 0,14 m |
|            | 0,09                                   | 0,10                                   | 0,11                                   | 0,14                                   | 0,15                                   | 0,22                                   |
|            | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 60x22 mm                               | 84x22 mm                               |
|            | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
|            | A = 1,72 m<br>B = 1,27 m<br>C = 1,63 m | A = 2,00 m<br>B = 1,40 m<br>C = 1,90 m | A = 2,28 m<br>B = 1,50 m<br>C = 2,15 m | A = 2,56 m<br>B = 1,70 m<br>C = 2,46 m | A = 2,85 m<br>B = 1,85 m<br>C = 2,72 m | A = 3,42 m<br>B = 2,24 m<br>C = 3,20 m |
|            | A = 2,85 m<br>B = 0,76 m<br>C = 2,50 m | A = 3,13 m<br>B = 0,90 m<br>C = 3,02 m | A = 3,70 m<br>B = 1,01 m<br>C = 3,56 m | A = 4,26 m<br>B = 1,18 m<br>C = 4,12 m | A = 4,55 m<br>B = 1,30 m<br>C = 4,39 m | A = 5,40 m<br>B = 1,50 m<br>C = 5,17 m |
|            | 7,00                                   | 8,10                                   | 9,80                                   | 10,10                                  | 11,80                                  | 16,60                                  |
|            | 28                                     | 28                                     | 28                                     | 28                                     | 28                                     | 10                                     |
| <b>EAN</b> | <br>8 013186 243002                    | <br>8 013186 243071                    | <br>8 013186 243101                    | <br>8 013186 243194                    | <br>8 013186 243200                    | <br>8 013186 243408                    |

## Single Ladders



| Code       | AL215                                  | AL225                                  | AL235                                  | AL235B                                 | AL255                                  | AL255B                                 | AL275                                  | AL275B                                 |
|------------|--|--|--|--|--|--|--|--|
|            | 8                                      | 10                                     | 12                                     | 12                                     | 14                                     | 14                                     | 16                                     | 16                                     |
|            | 3,25 m                                 | 3,75 m                                 | 4,30 m                                 | 4,30 m                                 | 4,85 m                                 | 4,85 m                                 | 5,37 m                                 | 5,37 m                                 |
|            | -                                      | -                                      | -                                      | 0,70 m                                 | -                                      | 0,80 m                                 | -                                      | 0,80 m                                 |
|            | A = 2,27 m<br>B = 0,35 m<br>C = 0,06 m | A = 2,83 m<br>B = 0,35 m<br>C = 0,06 m | A = 3,40 m<br>B = 0,35 m<br>C = 0,06 m | A = 3,40 m<br>B = 0,35 m<br>C = 0,06 m | A = 3,95 m<br>B = 0,35 m<br>C = 0,07 m | A = 3,95 m<br>B = 0,35 m<br>C = 0,07 m | A = 4,51 m<br>B = 0,35 m<br>C = 0,07 m | A = 4,51 m<br>B = 0,35 m<br>C = 0,07 m |
|            | 0,05                                   | 0,06                                   | 0,07                                   | 0,07                                   | 0,09                                   | 0,09                                   | 0,10                                   | 0,11                                   |
|            | 60x22 m                                | 60x22 m                                | 60x22 m                                | 60x22 m                                | 60x22 m                                | 60x22 m                                | 66x22 mm                               | 66x22 mm                               |
|            | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               | 25x25 mm                               |
|            | A = 2,27 m<br>B = 0,64 m<br>C = 2,16 m | A = 2,83 m<br>B = 1,00 m<br>C = 2,70 m | A = 3,40 m<br>B = 1,20 m<br>C = 3,23 m | A = 3,40 m<br>B = 1,20 m<br>C = 3,23 m | A = 3,95 m<br>B = 1,40 m<br>C = 3,77 m | A = 3,95 m<br>B = 1,40 m<br>C = 3,77 m | A = 4,51 m<br>B = 1,55 m<br>C = 4,36 m | A = 4,51 m<br>B = 1,55 m<br>C = 4,36 m |
|            | 3,60                                   | 4,40                                   | 5,30                                   | 5,65                                   | 6,10                                   | 7,15                                   | 7,90                                   | 7,90                                   |
|            | 90                                     | 90                                     | 90                                     | 90                                     | 90                                     | 90                                     | 90                                     | 90                                     |
| <b>EAN</b> | <br>8 013186 242319                    | <br>8 013186 242326                    | <br>8 013186 242333                    | <br>8 013186 243330                    | <br>8 013186 242340                    | <br>8 013186 243415                    | <br>8 013186 242371                    | <br>8 013186 243460                    |



| Code | AL610                                  | AL620                                  | AL630                                  | AL640                                  | AL650                                  | AL660                                  |
|------|--|--|--|--|--|--|
|      | 8                                      | 10                                     | 12                                     | 14                                     | 16                                     | 18                                     |
|      | 3,16 m                                 | 3,65 m                                 | 4,13 m                                 | 4,61 m                                 | 5,10 m                                 | 5,58 m                                 |
|      | 0,32 m                                 | 0,32 m                                 | 0,32 m                                 | 0,32 m                                 | 0,32 m                                 | 0,32 m                                 |
|      | A = 2,22 m<br>B = 0,39 m<br>C = 0,07 m | A = 2,77 m<br>B = 0,42 m<br>C = 0,07 m | A = 3,33 m<br>B = 0,43 m<br>C = 0,07 m | A = 3,90 m<br>B = 0,45 m<br>C = 0,07 m | A = 4,45 m<br>B = 0,47 m<br>C = 0,07 m | A = 5,01 m<br>B = 0,49 m<br>C = 0,07 m |
|      | 0,06                                   | 0,08                                   | 0,10                                   | 0,12                                   | 0,14                                   | 0,17                                   |
|      | 66x22 mm                               | 66x22 mm                               | 66x22 mm                               | 66x22 mm                               | 66x22 mm                               | 66x22 mm                               |
|      | 50 mm                                  | 50 mm                                  | 50 mm                                  | 50 mm                                  | 50 mm                                  | 50 mm                                  |
|      | A = 2,22 m<br>B = 0,39 m<br>C = 2,14 m | A = 2,77 m<br>B = 0,42 m<br>C = 2,68 m | A = 3,39 m<br>B = 0,43 m<br>C = 3,22 m | A = 3,90 m<br>B = 0,45 m<br>C = 3,76 m | A = 4,45 m<br>B = 0,47 m<br>C = 4,30 m | A = 5,01 m<br>B = 0,49 m<br>C = 4,85 m |
|      | 3,97                                   | 5,02                                   | 6,07                                   | 7,28                                   | 8,34                                   | 9,51                                   |
|      | 90                                     | 90                                     | 90                                     | 90                                     | 60                                     | 60                                     |
| EAN  | <br>8 013186 246102                    | <br>8 013186 246201                    | <br>8 013186 246300                    | <br>8 013186 246409                    | <br>8 013186 246508                    | <br>8 013186 246607                    |



| Code | BA230                                  | BA240                                  | BA250                                  | BA260                                  |
|------|--|--|--|--|
|      | 4 + piano                              | 5+1                                    | 6+1                                    | 7+1                                    |
|      | 2,60 m                                 | 2,81 m                                 | 3,02 m                                 | 3,23 m                                 |
|      | A = 1,10 m<br>B = 0,16 m<br>C = 0,46 m | A = 1,33 m<br>B = 0,48 m<br>C = 0,16 m | A = 1,56 m<br>B = 0,51 m<br>C = 0,16 m | A = 1,79 m<br>B = 0,53 m<br>C = 0,16 m |
|      | 0,10                                   |  |  |  |
|      | 20x40 mm                               | 40x20 mm                               | 40x20 mm                               | 40x20 mm                               |
|      | 80 mm                                  | 80 mm                                  | 80 mm                                  | 80 mm                                  |
|      | A = 1,14 m<br>B = 0,84 m<br>C = 1,04 m | B =<br>C =                             | B =<br>C =                             | B =<br>C =                             |
|      | 4,40                                   | 4,9                                    | 5,8                                    | 6,8                                    |
|      | 32                                     |  |  |  |
| EAN  | <br>8 013186 022300                    | <br>8 013186 022409                    | <br>8 013186 022508                    | <br>8 013186 022607                    |



| Code | AL500                         | AL510                         | AL520                         |
|------|-------------------------------|-------------------------------|-------------------------------|
|      | 6                             | 8                             | 10                            |
|      | 2,77 m                        | 3,30 m                        | 3,84 m                        |
|      | 2,37 m                        | 2,94 m                        | 3,49 m                        |
|      | 0,82 m                        | 1,00 m                        | 1,18 m                        |
|      | -                             | -                             | -                             |
|      | A= 2,33<br>B= 0,32<br>C= 0,08 | A= 2,89<br>B= 1,00<br>C= 0,08 | A= 3,34<br>B= 1,18<br>C= 0,08 |
|      | 25x25 mm                      | 25x25 mm                      | 25x25 mm                      |
|      | 7,20                          | 9,60                          | 12,20                         |
|      | 20                            | 20                            | 20                            |
| EAN  | <br>8 013186 245006           | <br>8 013186 245105           | <br>8 013186 245204           |



# Aluminium Step Stools, Steel Step Stools, Working Platforms



| Code | BA200                                  | BA210                                  | BA220                                  |
|------|--|--|--|
|      | 1 + piano                              | 2 + piano                              | 3 + piano                              |
|      | 2,38 m                                 | 2,18 m                                 | 2,38 m                                 |
|      | A = 0,47 m<br>B = 0,19 m<br>C = 0,41 m | A = 0,63 m<br>B = 0,20 m<br>C = 0,41 m | A = 0,87 m<br>B = 0,20 m<br>C = 0,44 m |
|      | 0,04                                   | 0,05                                   | 0,08                                   |
|      | 20x40 mm                               | 20x40 mm                               | 20x40 mm                               |
|      | 80 mm                                  | 80 mm                                  | 80 mm                                  |
|      | B =<br>C = 0,40 m                      | B = 0,56 m<br>C = 0,61 m               | B = 0,70 m<br>C = 0,83 m               |
|      | 1,60                                   | 2,70                                   | 3,50                                   |
|      | 48                                     | 48                                     | 48                                     |
| EAN  | <br>8 013186 022003                    | <br>8 013186 022102                    | <br>8 013186 022201                    |



| Code | BA310                                  | Code | BS200                                  | BS300                                  | BS400                                  | BS201                                  | BS301                                  |
|------|--|------|--|--|--|--|--|
|      | 2 + piano                              |      | 2                                      | 3                                      | 4                                      | 2                                      | 3                                      |
|      | 2,66 m                                 |      | 2,45 m                                 | 2,69 m                                 | 2,92 m                                 | 2,45 m                                 | 2,67 m                                 |
|      | A = 0,86 m<br>B = 0,14 m<br>C = 0,45 m |      | A = 1,16 m<br>B = 0,47 m<br>C = 0,05 m | A = 1,41 m<br>B = 0,47 m<br>C = 0,05 m | A = 1,66 m<br>B = 0,47 m<br>C = 0,05 m | A = 0,90 m<br>B = 0,40 m<br>C = 0,05 m | A = 1,13 m<br>B = 0,40 m<br>C = 0,05 m |
|      | 0,06                                   |      | 0,03                                   | 0,04                                   | 0,05                                   | 0,02                                   | 0,03                                   |
|      | MONTANTE<br>40x24 mm                   |      | MONTANTE DI SALITA<br>66x22 mm         | 50x20 mm                               | 50x20 mm                               | 30x20 mm                               | 30x20 mm                               |
|      | 80 mm                                  |      | 130 mm                                 | 130 mm                                 | 130 mm                                 | 100 mm                                 | 100 mm                                 |
|      | A = 0,86 m<br>B = 0,63 m<br>C = 0,66 m |      | A = 1,16 m<br>B = 0,58 m<br>C = 1,06 m | A = 1,41 m<br>B = 0,76 m<br>C = 1,28 m | A = 1,66 m<br>B = 0,92 m<br>C = 1,51 m | A = 0,90 m<br>B = 0,82 m<br>C = 0,49 m | A = 1,13 m<br>B = 0,64 m<br>C = 1,05 m |
|      | 3,30                                   |      | 0,45 m                                 | 0,69 m                                 | 0,92 m                                 | 0,45 m                                 | 0,67 m                                 |
|      | 32                                     |      | 4,40                                   | 5,50                                   | 6,70                                   | 3,00                                   | 4,10                                   |
|      |  |      | 60                                     | 60                                     | 60                                     | 44                                     | 44                                     |
| EAN  | <br>8 013186 023109                    | EAN  | <br>8 013186 010352                    | <br>8 013186 010338                    | <br>8 013186 010444                    | <br>8 013186 012219                    | <br>8 013186 011335                    |



| Code                          | B003                                   | B004                                   | Code                          | B222                                   | B333                                   | B444                                   |
|-------------------------------|--|--|-------------------------------|--|--|--|
|                               | 2                                      | 3                                      |                               | 2                                      | 3                                      | 4                                      |
|                               | 2,47 m                                 | 2,30 m                                 |                               | 2,47 m                                 | 2,70 m                                 | 2,93 m                                 |
|                               | A = 1,14 m<br>B = 0,46 m<br>C = 0,72 m | A = 1,64 m<br>B = 0,46 m<br>C = 0,88 m |                               | A = 1,17 m<br>B = 0,48 m<br>C = 0,10 m | A = 1,42 m<br>B = 0,50 m<br>C = 0,10 m | A = 1,67 m<br>B = 0,53 m<br>C = 0,10 m |
|                               | 0,03                                   | 0,12                                   |                               | 0,06                                   | 0,07                                   | 0,09                                   |
| <b>MONTANTE DI SALITA</b><br> | 25x25 mm                               | 25x25 mm                               | <b>MONTANTE DI SALITA</b><br> | 40x25 mm                               | 40x25 mm                               | 40x25 mm                               |
|                               | 36x20 mm                               | 36x20 mm                               |                               | 100 mm                                 | 100 mm                                 | 100 mm                                 |
|                               | A = 1,14 m<br>B = 0,70 m<br>C = 1,03 m | A = 1,64 m<br>B = 0,88 m<br>C = 1,48 m |                               | A = 1,17 m<br>B = 0,60 m<br>C = 1,06 m | A = 1,42 m<br>B = 0,77 m<br>C = 1,28 m | A = 1,67 m<br>B = 0,94 m<br>C = 1,51 m |
|                               | 0,68 m                                 | 0,90 m                                 |                               | 0,47 m                                 | 0,70 m                                 | 0,93 m                                 |
|                               | 6,90                                   | 7,60                                   |                               | 3,40                                   | 4,40                                   | 5,40                                   |
|                               | 48                                     | 40                                     |                               | 48                                     | 48                                     | 44                                     |
| <b>EAN</b><br>                | 8 013186 020030                        | 8 013186 020047                        | <b>EAN</b><br>                | 8 013186 020221                        | 8 013186 020337                        | 8 013186 020443                        |



| Code | B0120                                  | B0130                                  | B0140                                  |
|------|--|--|--|
|      | 2                                      | 3                                      | 4                                      |
|      | 2,47 m                                 | 2,72 m                                 | 2,98 m                                 |
|      | A = 0,87 m<br>B = 0,09 m<br>C = 0,47 m | A = 1,14 m<br>B = 0,10 m<br>C = 0,48 m | A = 1,61 m<br>B = 0,12 m<br>C = 0,49 m |
|      | 0,04                                   | 0,06                                   | 0,10                                   |
|      | 25 mm                                  | 25 mm                                  | 25 mm                                  |
|      | 0,38x0,26 m                            | 0,38x0,26 m                            | 0,38x0,26 m                            |
|      | A = 0,87 m<br>B = 0,59 m<br>C = 0,77 m | A = 1,14 m<br>B = 0,65 m<br>C = 1,02 m | A = 1,61 m<br>B = 0,80 m<br>C = 1,51 m |
|      | 0,47 m                                 | 0,72 m                                 | 0,98 m                                 |
|      | 5,40                                   | 7,80                                   | 11,10                                  |
|      | 72                                     | 48                                     | 40                                     |
| EAN  | <br>8 013186 011205                    | <br>8 013186 011304                    | <br>8 013186 011403                    |



|                               | B0200                                  |  | B0300 |  |                               | B0050                                  |  | B0060 |  | B0070                                  |  |
|-------------------------------|--|--|-------|--|-------------------------------|--|--|-------|--|--|--|
|                               | 2                                      | 3                                      |       |  |                               | 2                                      | 3                                      |       |  | 4                                      |  |
|                               | 2,47 m                                 | 2,70 m                                 |       |  |                               | 2,47 m                                 | 2,71 m                                 |       |  | 2,89 m                                 |  |
|                               | A = 1,15 m<br>B = 0,13 m<br>C = 0,47 m | A = 1,40 m<br>B = 0,13 m<br>C = 0,47 m |       |  |                               | A = 0,90 m<br>B = 0,04 m<br>C = 0,48 m | A = 1,14 m<br>B = 0,04 m<br>C = 0,51 m |       |  | A = 1,37 m<br>B = 0,04 m<br>C = 0,52 m |  |
|                               | 0,06                                   | 0,08                                   |       |  |                               | 0,02                                   | 0,02                                   |       |  | 0,03                                   |  |
| <b>MONTANTE DI SALITA</b><br> | 30x20 mm                               | 30x20 mm                               |       |  | <b>MONTANTE DI SALITA</b><br> | 30x20 mm                               | 30x20 mm                               |       |  | 30x30 mm                               |  |
|                               | 0,20x0,30 m                            | 0,20x0,30 m                            |       |  |                               | 0,20x0,30 m                            | 0,20x0,30 m                            |       |  | 0,20x0,30 m                            |  |
|                               | A = 1,15 m<br>B = 0,55 m<br>C = 1,08 m | A = 1,40 m<br>B = 0,75 m<br>C = 1,30 m |       |  |                               | A = 0,90 m<br>B = 0,52 m<br>C = 0,84 m | A = 1,14 m<br>B = 0,70 m<br>C = 1,06 m |       |  | A = 1,37 m<br>B = 0,83 m<br>C = 1,27 m |  |
|                               | 0,47 m                                 | 0,70 m                                 |       |  |                               | 0,47 m                                 | 0,71 m                                 |       |  | 0,89 m                                 |  |
|                               | 4,90                                   | 6,80                                   |       |  |                               | 4,40                                   | 6,20                                   |       |  | 8,00                                   |  |
|                               | 44                                     | 44                                     |       |  |                               | 150                                    | 100                                    |       |  | 100                                    |  |
| <b>EAN</b><br>                | 8 013186 013117                        | 8 013186 013124                        |       |  | <b>EAN</b><br>                | 8 013186 010505                        | 8 013186 010604                        |       |  | 8 013186 010703                        |  |





| Code | B0030BI                                | Code | B0010BI                                | Code | PL005                                  |
|------|--|------|--|------|--|
|      | 2                                      |      | 1                                      |      | 2                                      |
|      | 2,44 m                                 |      | 2,17 m                                 |      | 2,49 m                                 |
|      | A = 0,55 m<br>B = 0,50 m<br>C = 0,04 m |      | A = 0,26 m<br>B = 0,38 m<br>C = 0,04 m |      | A = 0,16 m<br>B = 0,41 m<br>C = 0,76 m |
|      | 0,01                                   |      | 0,01                                   |      | 0,05                                   |
|      | 33x18 mm                               |      | 18x18 mm                               |      | 45x23 mm                               |
|      | 0,20x0,30 mm                           |      | 38x26 mm                               |      | 0,71x0,30 m                            |
|      | A = 0,49 m<br>B = 0,44 m               |      | A = 0,44 m<br>B = 0,17 m               |      | A = 0,50 m<br>B = 1,02 m<br>C = 0,41 m |
|      | 4,00                                   |      | 1,77                                   |      | 4,80                                   |
|      | 132                                    |      |  |      | 52                                     |
| EAN  | <br>8 013186 010314                    | EAN  | <br>8 013186 010727                    | EAN  | <br>8 013186 030015                    |

# Code index

| Code     | Pag | Code    | Pag | Code       | Pag | Code   | Pag |
|----------|-----|---------|-----|------------|-----|--------|-----|
| 7113-092 | 15  | AL710   | 18  | BS201      | 42  | TM405  | 69  |
| A0010    | 11  | AL720   | 18  | BS300      | 41  | TM406  | 69  |
| A0040    | 11  | AL730   | 18  | BS301      | 42  | TM407  | 69  |
| A0050    | 11  | AL740   | 18  | BS400      | 41  | TM408  | 69  |
| A0080    | 11  | AL750   | 18  | ED002CL    | 13  | TM409  | 69  |
| AL001    | 10  | AL900D  | 14  | ED004CL    | 13  | TM410  | 69  |
| AL002    | 10  | ALL015  | 9   | F0003      | 72  | TM411  | 69  |
| AL003    | 10  | ALL020  | 9   | F0005      | 72  | TMEZZA | 69  |
| AL004    | 10  | ALL030  | 9   | F0015      | 72  |        |     |
| AL010    | 8   | ALL040  | 9   | FA100EY    | 63  |        |     |
| AL015    | 8   | ALL060  | 9   | FA100FL    | 59  |        |     |
| AL020    | 8   | ALL144  | 22  | FA200EY    | 64  |        |     |
| AL030    | 8   | ALL155  | 22  | FA200FL    | 60  |        |     |
| AL040    | 8   | ALL166  | 22  | FA400EY    | 65  |        |     |
| AL060    | 8   | ALL177  | 22  | FA400FL    | 61  |        |     |
| AL130    | 21  | ALL188  | 22  | FA600FL    | 62  |        |     |
| AL140    | 21  | ALL400  | 27  | FE010      | 72  |        |     |
| AL150    | 21  | ALL405  | 27  | FZ003      | 73  |        |     |
| AL160    | 21  | ALL410  | 27  | FZ005      | 73  |        |     |
| AL170    | 21  | ALL415  | 27  | FZ010      | 73  |        |     |
| AL180    | 21  | ALL420  | 27  | GE010      | 82  |        |     |
| AL215    | 32  | ALL435  | 27  | GE020      | 82  |        |     |
| AL225    | 32  | ALL445  | 27  | GE025      | 82  |        |     |
| AL235    | 32  | ALL450  | 27  | GE030      | 83  |        |     |
| AL235B   | 32  | ALL700  | 19  | GE040      | 83  |        |     |
| AL255    | 32  | ALL710  | 19  | GE050      | 83  |        |     |
| AL255B   | 32  | ALL720  | 19  | GP020      | 84  |        |     |
| AL275    | 32  | ALL730  | 19  | GP030      | 84  |        |     |
| AL275B   | 32  | ALL740  | 19  | GU030      | 84  |        |     |
| AL300    | 30  | ALL750  | 19  | KITA05FL*  | 57  |        |     |
| AL305    | 30  | ALP08   | 35  | KITA05PFL* | 57  |        |     |
| AL305HHL | 29  | ALP10   | 35  | KITA05VLF* | 57  |        |     |
| AL310    | 30  | ALP12   | 35  | PL005      | 53  |        |     |
| AL310HHL | 29  | AM010   | 12  | RF200      | 76  |        |     |
| AL315    | 30  | AM020   | 12  | RF250      | 76  |        |     |
| AL315HHL | 29  | AM030   | 12  | RF300      | 76  |        |     |
| AL320    | 30  | B0010BI | 51  | RFL150     | 78  |        |     |
| AL330HHL | 29  | B0020   | 52  | RFL200     | 78  |        |     |
| AL340    | 30  | B003    | 46  | RFL250     | 78  |        |     |
| AL400    | 27  | B0030BI | 50  | RR200      | 77  |        |     |
| AL405    | 27  | B004    | 46  | RR250      | 77  |        |     |
| AL405HHL | 26  | B0050   | 49  | RR300      | 77  |        |     |
| AL410    | 27  | B0060   | 49  | RRL150     | 79  |        |     |
| AL410HHL | 26  | B0070   | 49  | RRL200     | 79  |        |     |
| AL415    | 27  | B0120   | 47  | RRL250     | 79  |        |     |
| AL415HHL | 26  | B0130   | 47  | TA1800FL*  | 57  |        |     |
| AL420    | 27  | B0140   | 47  | TA1900FL*  | 57  |        |     |
| AL435    | 27  | B0200   | 48  | TA2000FL*  | 57  |        |     |
| AL435HHL | 26  | B0300   | 48  | TA2100FL*  | 57  |        |     |
| AL445    | 27  | B222    | 43  | TA900FL*   | 56  |        |     |
| AL450    | 27  | B333    | 43  | TL302      | 70  |        |     |
| AL500    | 34  | B444    | 43  | TL303      | 70  |        |     |
| AL510    | 34  | BA200   | 38  | TL304      | 70  |        |     |
| AL520    | 34  | BA210   | 39  | TM201      | 71  |        |     |
| AL610    | 33  | BA220   | 39  | TM202      | 71  |        |     |
| AL620    | 33  | BA230   | 39  | TM203      | 71  |        |     |
| AL630    | 33  | BA240   | 39  | TM204      | 71  |        |     |
| AL640    | 33  | BA250   | 39  | TM205      | 71  |        |     |
| AL650    | 33  | BA260   | 39  | TM402      | 69  |        |     |
| AL660    | 33  | BA310   | 40  | TM403      | 69  |        |     |
| AL700    | 18  | BS200   | 41  | TM404      | 69  |        |     |

\*Range available until out-of-stock



**GIERRE srl a socio unico**

Via 1° Maggio, 1 e 6 23854 Olginate (LC) ITALIA

Tel. +39 0341 681014 | Fax +39 0341 682980

**[www.gierrescale.com](http://www.gierrescale.com)**



Azienda con Sistema  
di Gestione Qualità  
certificato secondo la norma  
UNI EN ISO 9001:2015